Index to Volume 87

July–December, 1997

Author Index

ABDALLAH JA. *See* Cohen JE, 963
ABE H. *See* Rahman Zurin AA, 109
_____. *See* Sawamura Y, 262
ABEL MD. *See* Meyer FB, 934
ABOUZAHR MK, LANGE DJ, LATOV N, OLARTE M, ROWLAND LP, HAYS AP, CORBO M. Diagnostic biopsy of the motor nerve to the gracilis muscle. Technical note, 122
ADELSON PD. *See* Lowry DW, 671
AFRICK CZ. *See* Martin NA, 9
AFSHAR JK. *See* Pluta RM, 287
AKIOKA T. *See* Date I, 324
ALBRIGHT AL. *See* Lowry DW, 671
ALEXANDER MJ. *See* Martin NA, 9
ALGER JR. *See* Tedeschi G, 516
AL-MEFTY O. *See* Türe U, 706
ALP MS. *See* Dujovny M, 788
ALSINA G. *See* Lee JH, 221
ALVORD EC JR., BURGESS PK. Tumor in normal brain. Letter, 484
AMBERGER VR. *See* Tamaki M, 602
ANAISSIE EJ. *See* Papadakis KA, 106
ANDERSON GD, LIN YX, BERGE C, OJEMANN GA. Absence of bleeding complications in patients undergoing cortical surgery while receiving valproate treatment, 252
ANDERSSON B. *See* Mathiesen T, 215
ANGILERI FF. *See* D'Avella D, 768
ANTINHEIMO J, HAAPASALO H, HALTIA M, TATAGIBA M, THOMAS S, BRANDIS A, SAINIO M, CARPEN O, SAMII M, JÄÄSKELÄINEN J. Proliferation potential and histological features in neurofibromatosis 2–associated and sporadic meningiomas, 610
APOSTOLIDES PJ, THEODORE N, KARAHALIOS DG, SONNTAG VKH. Triple anterior screw fixation of an acute combination atlas–axis fracture. Case report, 96
ARBEILLE B. *See* Destreux C, 67
ARGINTEANU MS, PERIN NI. Paraspinal calcinosis associated with progressive systemic sclerosis. Case report, 761
ARMSTRONG RW, STEINBOK P, COCHRANE DD, KUBE SD, FIFE SE, FARRELL K. Intrathecally administered baclofen for treatment of children with spasticity of cerebral origin, 409
ARNOLD DL. *See* Preul MC, 113
ATKIN SL, GREEN VL, HIPKIN LJ, LANDOLT AM, FOY PM, JEFFREYS RV, WHITE MC. A comparison of proliferation indices in human anterior pituitary adenomas using formalin-fixed tissue and in vitro cell culture, 85
ATKINSON JLD. *See* Nichols DA, 374
AUGER RG. *See* Zikel OM, 130
AVELLINO AM, BERGER MS, ROSTOMILY RC, SHAW CM, OJEMANN GA. Surgical management and seizure outcome in patients with tuberous sclerosis, 391
AVEZAAT CJJ. *See* Boon AJW, 687
AVOLI M. *See* Preul MC, 113
AYDIN Y. *See* Ziyal IM, 473
AZZARELLI B. *See* Wolfla CE, 643

BACIC M. *See* Pluta RM, 287
BALOUSEK P. *See* Higashida RT, 944
BALZER JR. *See* Welch WC, 397
BARBA D. *See* Chamberlain MC, 694
BARTELS RHMA, VAN OVERBEEKE JJ. Charles Labbé (1851–1889), 477
BARZÓ P, MARMAROU A, FATOUROS P, HAYASAKI K, CORWIN F. Contribution of vasogenic and cellular edema to traumatic brain swelling measured by diffusion-weighted imaging, 900
BASKAYA MK. *See* Dogan A, 921
BASKIN JJ. *See* Choi WG, 757
BATES LM. *See* Meyer FB, 934
BATTAGLIA G. *See* Preul MC, 113
BAUR I. *See* Paulus W, 89
BAYBEK M. *See* Kwan AL, 281
BAYSTON R, LAMBERT E. Duration of protective activity of cerebrospinal fluid shunt catheters impregnated with antimicrobial agents to prevent bacterial catheter-related infection, 247
BECKER DP. *See* Bergsneider M, 804
_____. *See* Lee JH, 221
_____. *See* Martin NA, 9
BECKER LE. *See* Rutka JT, 420
BEER BJ. *See* Robertson SC, 927
BEHRENS E. *See* Schramm J, 801
BEHRENS PF, OSTERTAG CB. Cavum septum pellucidum cysts. Letter, 336
BEJJANI GK. *See* Ziyal IM, 473
BELAYEV L, BUSTO R, ZHAO W, CLEMENS JA, GINSBERG MD. Effect of delayed albumin hemodilution on infarction volume and brain edema after transient middle cerebral artery occlusion in rats, 595
BELLOW F. *See* Proust F, 950
BENI-ADANI L. *See* Spektor S, 464
BERGE C. *See* Anderson GD, 252
BERGER MS. *See* Avellino AM, 391
BERGSNEIDER M, HOVDA DA, BECKER DP. Hypermetabolism or hyperglycolysis. Letter, 804
BERGUI M, BRADAC GB. Internal carotid artery or ascending pharyngeal. Letter, 803
BERTELLI JA, MIRA JC, PECOT-DECHAVASSINE M, SEBILLE A. Selective motor hyperreinnervation using motor rootlet transfer: an experimental study in rat brachial plexus, 79
BHUSHAN C. Miliary metastatic brain tumors. Letter, 979
BIERBRAUER KS. Book review, 481
BILLMIRE DA. *See* Kennedy EM, 677
BIOULAC B. *See* Gross C, 491
BITZER M, WÖCKEL L, LUFT AR, WAKHLOO AK, PETERSEN D, OPITZ H, SIEVERT T, ERNEMANN U, VOIGT K. The importance of pial blood supply to the development of peritumoral brain edema in meningiomas, 368
BLACK PM. *See* Carroll RS, 315
BLACKLOCK JB. *See* Tomaras CR, 41
BLANDINO A. *See* D'Avella D, 768
BODOR N. *See* Simpkins JW, 724
BONAVITA S. *See* Tedeschi G, 516
BOOCK RJ. *See* Pluta RM, 287, 746
BOON AJW, TANS JTJ, DELWEL EJ, EGELER-PEERDEMAN SM, HANLO PW, WURZER HAL, AVEZAAT CJJ, DE JONG DA, GOOSKENS RHJM, HERMANS J. Dutch Normal-Pressure Hydrocephalus Study: prediction of outcome after shunting by resistance to outflow of cerebrospinal fluid, 687

Index to Volume 87

July–December, 1997

Author Index

ABDALLAH JA. *See* Cohen JE, 963
ABE H. *See* Rahman Zurin AA, 109
_____. *See* Sawamura Y, 262
ABEL MD. *See* Meyer FB, 934
ABOUZAHR MK, LANGE DJ, LATOV N, OLARTE M, ROWLAND LP, HAYS AP, CORBO M. Diagnostic biopsy of the motor nerve to the gracilis muscle. Technical note, 122
ADELSON PD. *See* Lowry DW, 671
AFRICK CZ. *See* Martin NA, 9
AFSHAR JK. *See* Pluta RM, 287
AKIOKA T. *See* Date I, 324
ALBRIGHT AL. *See* Lowry DW, 671
ALEXANDER MJ. *See* Martin NA, 9
ALGER JR. *See* Tedeschi G, 516
AL-MEFTY O. *See* Türe U, 706
ALP MS. *See* Dujovny M, 788
ALSINA G. *See* Lee JH, 221
ALVORD EC JR., BURGESS PK. Tumor in normal brain. Letter, 484
AMBERGER VR. *See* Tamaki M, 602
ANAISSIE EJ. *See* Papadakis KA, 106
ANDERSON GD, LIN YX, BERGE C, OJEMANN GA. Absence of bleeding complications in patients undergoing cortical surgery while receiving valproate treatment, 252
ANDERSSON B. *See* Mathiesen T, 215
ANGILERI FF. *See* D'Avella D, 768
ANTINHEIMO J, HAAPASALO H, HALTIA M, TATAGIBA M, THOMAS S, BRANDIS A, SAINIO M, CARPEN O, SAMII M, JÄÄSKELÄINEN J. Proliferation potential and histological features in neurofibromatosis 2–associated and sporadic meningiomas, 610
APOSTOLIDES PJ, THEODORE N, KARAHALIOS DG, SONNTAG VKH. Triple anterior screw fixation of an acute combination atlas–axis fracture. Case report, 96
ARBEILLE B. *See* Destreux C, 67
ARGINTEANU MS, PERIN NI. Paraspinal calcinosis associated with progressive systemic sclerosis. Case report, 761
ARMSTRONG RW, STEINBOK P, COCHRANE DD, KUBE SD, FIFE SE, FARRELL K. Intrathecally administered baclofen for treatment of children with spasticity of cerebral origin, 409
ARNOLD DL. *See* Preul MC, 113
ATKIN SL, GREEN VL, HIPKIN LJ, LANDOLT AM, FOY PM, JEFFREYS RV, WHITE MC. A comparison of proliferation indices in human anterior pituitary adenomas using formalin-fixed tissue and in vitro cell culture, 85
ATKINSON JLD. *See* Nichols DA, 374
AUGER RG. *See* Zikel OM, 130
AVELLINO AM, BERGER MS, ROSTOMILY RC, SHAW CM, OJEMANN GA. Surgical management and seizure outcome in patients with tuberous sclerosis, 391
AVEZAAT CJJ. *See* Boon AJW, 687
AVOLI M. *See* Preul MC, 113
AYDIN Y. *See* Ziyal IM, 473
AZZARELLI B. *See* Wolfla CE, 643

BACIC M. *See* Pluta RM, 287
BALOUSEK P. *See* Higashida RT, 944
BALZER JR. *See* Welch WC, 397
BARBA D. *See* Chamberlain MC, 694
BARTELS RHMA, VAN OVERBEEKE JJ. Charles Labbé (1851–1889), 477
BARZÓ P, MARMAROU A, FATOUROS P, HAYASAKI K, CORWIN F. Contribution of vasogenic and cellular edema to traumatic brain swelling measured by diffusion-weighted imaging, 900
BASKAYA MK. *See* Dogan A, 921
BASKIN JJ. *See* Choi WG, 757
BATES LM. *See* Meyer FB, 934
BATTAGLIA G. *See* Preul MC, 113
BAUR I. *See* Paulus W, 89
BAYBEK M. *See* Kwan AL, 281
BAYSTON R, LAMBERT E. Duration of protective activity of cerebrospinal fluid shunt catheters impregnated with antimicrobial agents to prevent bacterial catheter-related infection, 247
BECKER DP. *See* Bergsneider M, 804
_____. *See* Lee JH, 221
_____. *See* Martin NA, 9
BECKER LE. *See* Rutka JT, 420
BEER BJ. *See* Robertson SC, 927
BEHRENS E. *See* Schramm J, 801
BEHRENS PF, OSTERTAG CB. Cavum septum pellucidum cysts. Letter, 336
BEJJANI GK. *See* Ziyal IM, 473
BELAYEV L, BUSTO R, ZHAO W, CLEMENS JA, GINSBERG MD. Effect of delayed albumin hemodilution on infarction volume and brain edema after transient middle cerebral artery occlusion in rats, 595
BELLOW F. *See* Proust F, 950
BENI-ADANI L. *See* Spektor S, 464
BERGE C. *See* Anderson GD, 252
BERGER MS. *See* Avellino AM, 391
BERGSNEIDER M, HOVDA DA, BECKER DP. Hypermetabolism or hyperglycolysis. Letter, 804
BERGUI M, BRADAC GB. Internal carotid artery or ascending pharyngeal. Letter, 803
BERTELLI JA, MIRA JC, PECOT-DECHAVASSINE M, SEBILLE A. Selective motor hyperreinnervation using motor rootlet transfer: an experimental study in rat brachial plexus, 79
BHUSHAN C. Miliary metastatic brain tumors. Letter, 979
BIERBRAUER KS. Book review, 481
BILLMIRE DA. *See* Kennedy EM, 677
BIOULAC B. *See* Gross C, 491
BITZER M, WÖCKEL L, LUFT AR, WAKHLOO AK, PETERSEN D, OPITZ H, SIEVERT T, ERNEMANN U, VOIGT K. The importance of pial blood supply to the development of peritumoral brain edema in meningiomas, 368
BLACK PM. *See* Carroll RS, 315
BLACKLOCK JB. *See* Tomaras CR, 41
BLANDINO A. *See* D'Avella D, 768
BODOR N. *See* Simpkins JW, 724
BONAVITA S. *See* Tedeschi G, 516
BOOCK RJ. *See* Pluta RM, 287, 746
BOON AJW, TANS JTJ, DELWEL EJ, EGELER-PEERDEMAN SM, HANLO PW, WURZER HAL, AVEZAAT CJJ, DE JONG DA, GOOSKENS RHJM, HERMANS J. Dutch Normal-Pressure Hydrocephalus Study: prediction of outcome after shunting by resistance to outflow of cerebrospinal fluid, 687

Index

BORAUD T. *See* Gross C, 491
BRACKEN MB, SHEPARD MJ. Informed consent. Letters, 336
BRADAC GB. *See* Bergui M, 803
BRANDIS A. *See* Antinheimo J, 610
BREAKEFIELD XO. *See* Paulus W, 89
BREGA KE. *See* Duke BJ, 825
BREM H. *See* Sampath P, 60
BROADDUS WC. *See* Doppenberg EMR, 809
BRONSTEIN J. *See* Lim JY, 955
BROWN RD JR. *See* Nichols DA, 374
BUCKWALTER G. *See* Kopyov O, 52
BULLOCK R. *See* Doppenberg EMR, 809
_____. *See* Holloway K, 486
BUN T. *See* Kawamata T, 908
BURGESS PK. *See* Alvord EC Jr., 484
BURKERT W. *See* Rainov NG, 979
BURNETT JC JR. *See* Wijdicks EFM, 275
BURNS J. *See* Vale FL, 239
BUSTO R. *See* Belayev L, 595

CALLONEC F. *See* Proust F, 950
CAMINHA SS. *See* Meyer FB, 934
CARPEN O. *See* Antinheimo J, 610
CARRAU RL. *See* Jho HD, 44
CARROLL RS, BLACK PM, ZHANG J, KIRSCH M, PERCEC I, LAU N, GUHA A. Expression and activation of epidermal growth factor receptors in meningiomas, 315
CARSON BS, WEINGART JD, GUARNIERI M, FISHER PG. Third ventricular choroid plexus papilloma with psychosis. Case report, 103
CARVALHO GA. *See* Samii M, 881
CASEY ATH, CROCKARD HA, GEDDES JF, STEVENS J. Vertical translocation: the enigma of the disappearing atlantodens interval in patients with myelopathy and rheumatoid arthritis. Part I. Clinical, radiological, and neuropathological features, 856
_____, _____, STEVENS J. Vertical translocation. Part II. Outcomes after surgical treatment of rheumatoid cervical myelopathy, 863
CATASLANO PJ. *See* Post KD, 133
CENDES F. *See* Preul MC, 113
CHAMBERLAIN MC, KORMANIK PA, BARBA D. Complications associated with intraventricular chemotherapy in patients with leptomeningeal metastases, 694
CHANDLER JP. *See* Cozzens JW, 682
CHANG DC. *See* Lin JJ, 474
CHANG S. *See* Wald LL, 525
CHASKIS C, MICHOTTE A, GEFFRAY F, VANGENEUGDEN J, DESPRECHINS B, D'HAENS J. Cervical intramedullary lipoma with intracranial extension in an infant. Case illustration, 472
CHERRY KJ. *See* Zikel OM, 130
CHICOINE MR. *See* Silbergeld DL, 485
CHOI WG, VISHTEH AG, BASKIN JJ, MARCIANO FF, DICKMAN CA. Completely dislocated hangman's fracture with a locked C2–3 facet. Case report, 757
CHOPP M. *See* Seyfried D, 716
CLEMENS JA. *See* Belayev L, 595
CLOUSE K. *See* Pluta RM, 287
CLYDE B. *See* Lowry DW, 671
COAKHAM HB. *See* Premsagar IC, 454
COCHRANE DD. *See* Armstrong RW, 409
COHEN JE, ABDALLAH JA, GARROTE M. Massive rupture of suprasellar dermoid cyst into ventricles. Case illustration, 963
COLAK A, TEKINER A, KOCAC H. Endodermal sinus tumor and spinal cord compression. Letter, 652
COLDWELL DM. *See* Duke BJ, 825
COLOHAN ART. *See* Ghosh S, 977
COLOSIMO C. *See* Pallini R, 333
CONSTANTINI S. *See* Spektor S, 464
COPCUTT B. *See* Kopyov O, 52
CORBO M. *See* Abouzahr MK, 122
CORCORAN TA. *See* Torg JS, 843
CORREA D. *See* Proaño JV, 29
CORREALE JD. *See* Kittaka M, 731
CORTHESY ME. *See* Laske DW, 586
CORWIN F. *See* Barzó P, 900
COZZENS JW, CHANDLER JP. Increased risk of distal ventriculoperitoneal shunt obstruction associated with slit valves or distal slits in the peritoneal catheter, 682
CROCKARD HA. *See* Casey ATH, 856, 863
CRONE KR. *See* Kennedy EM, 677
CRUZ J. Cerebral blood flow and vasoresponsivity. Letter, 335
_____. Hypermetabolism or hyperglycolysis. Letter, 803
CUMMINS A. *See* Laske DW, 586
CUNNINGHAM JM, KIMMEL DW, SCHEITHAUER BW, O'FALLON JR, NOVOTNY PJ, JENKINS RB. Astrocytoma and Ki-67. Letter, 133

DATE I, AKIOKA T, OHMOTO T. Penetration of the optic chiasm by a ruptured anterior communicating artery aneurysm. Case report, 324
D'AVELLA D, GIUSA M, BLANDINO A, ANGILERI FF, LA ROSA G, TOMASELLO F. Microsurgical excision of a primary isolated hypothalamic eosinophilic granuloma. Case report, 768
DAVID CA, ZABRAMSKI JM, SPETZLER RF. Reversed-flow saphenous vein grafts for cerebral revascularization. Technical note, 795
DAVIS C. Shunt versus subarachnoid reconstruction. Letter, 652
DAVIS DH. *See* Zikel OM, 130
DAY AL. *See* Simpkins JW, 724
DAY JD, FUKUSHIMA T, GIANNOTTA SL. Cranial base approaches to posterior circulation aneurysms, 544
DAY MR. *See* Wald LL, 525
DAY N. *See* Seyfried D, 716
DEGIORGIO CM. *See* Kittaka M, 731
DE JONG DA. *See* Boon AJW, 687
DEL MAESTRO RF. *See* Tamaki M, 602
DE OLIVEIRA E. *See* Wen HT, 555
DE SALLES AAF. *See* Lim JY, 955
DE TRIBOLET N. *See* Sawamura Y, 262
DELWEL EJ. *See* Boon AJW, 687
DEMPSEY RJ. *See* Dogan A, 921
DESALOMS JM. *See* Krauss JK, 358
DESPRECHINS B. *See* Chaskis C, 472
DESTREUX C, VELUT S, KAKOU MK, LEFRANCQ T, ARBEILLE B, SANTINI JJ. A new concept in Dorello's canal microanatomy: the petroclival venous confluence, 67
DETWILER PW, PORTER RW, ZABRAMSKI JM, SPETZLER RF. De novo formation of central nervous system cavernous malformation: implications for predicting risk of hemorrhage. Case report and review of the literature, 629
D'HAENS J. *See* Chaskis C, 472
DI CHIRO G. *See* Tedeschi G, 516
DICKMAN CA. *See* Choi WG, 757
_____. *See* Song GS, 851
DIRKS PB. *See* Rutka JT, 420
DOBBEN G. *See* Dujovny M, 788
DOGAN A, MURALIKRISHNA RAO A, BASKAYA MK, RAGHAVENDRA RAO VL, RASTL J, DONALDSON D, DEMPSEY RJ. Effects of ifenprodil, a polyamine site NMDA receptor antagonist, on reperfusion injury after transient focal cerebral ischemia, 921
DONALDSON D. *See* Dogan A, 921
DOPPENBERG EMR, WATSON JC, BROADDUS WC, HOLLOWAY KL, YOUNG HF, BULLOCK R. Intraoperative monitoring of substrate delivery during aneurysm and hematoma surgery: initial experience in 16 patients, 809
DOPPMAN JL. *See* Mason RB, 343
DOWD CF. *See* Higashida RT, 944
DRAKE CG, PEERLESS SJ. Giant fusiform intracranial aneurysms: review of 120 patients treated surgically from 1965 to 1992, 141
DRURY I. *See* Lee KR, 73
DUBEAU F. *See* Preul MC, 113
DUCKWILER G. *See* Malisch TW, 176
_____. *See* Murayama Y, 830

Dujovny M, Alp MS, Dujovny N, Zhao YJ, Gundamraj NR, Misra M, Dobben G. Aneurysm clips: magnetic quantification and magnetic resonance imaging safety. Technical note, 788
Dujovny N. *See* Dujovny M, 788
Duke BJ, Ryu RK, Coldwell DM, Brega KE. Treatment of blunt carotid injuries by using endovascular stents: an early experience, 825
Duma C. *See* Kopyov O, 52
Durity FA. *See* Redekop GJ, 836
Duyn JH. *See* Tedeschi G, 516

Eberhard DA. *See* Schneider BF, 352
Ebersold MJ. *See* Morreale VM, 257
Ebner F. *See* Leber KA, 644
Edner G. *See* Mathiesen T, 215
Egeler-Peerdeman SM. *See* Boon AJW, 687
Ehrenreich H. *See* Pluta RM, 287
Eisenberg E, Waisbrod H. Spinal cord stimulator activation by an antitheft device. Case report, 961
Eisenberg MB. *See* Post KD, 133
Enam SA, Rosenblum ML, Ho KL. Neurocytoma in the cerebellum. Case report, 100
Erbengi A, Inci S. Pheochromocytoma and multiple intracranial aneurysms: is it a coincidence? Case report, 764
Ericson K. *See* Karlsson B, 327
Ernemann U. *See* Bitzer M, 368

Fahlbusch R. *See* Strauss C, 893
Farrell K. *See* Armstrong RW, 409
Fatouros P. *See* Barzó P, 900
Feigenbaum F, Sulmasy DP, Pellegrino ED, Henderson FC. Spondyloptotic fracture of the cervical spine in a pregnant, anemic Jehovah's Witness: technical and ethical considerations. Case report, 458
Fernandez E, Pallini R, Palma P, Lauretti L. Hypoglossal-facial nerve anastomosis. Letter, 649
_____. *See* Pallini R, 333
Fife SE. *See* Armstrong RW, 409
Firsching R. *See* Woischneck D, 134
Fischer C. *See* Fischer G, 133
Fischer G, Fischer C. Hearing and vestibular schwannomas. Letters, 133
Fisher PG. *See* Carson BS, 103
Fisher WS. *See* Vale FL, 801
Fisher WS III. *See* Vale FL, 940
Flamm ES. *See* Lasner TM, 381
Flickinger JC. *See* Pollock BE, 648
Fogel W. *See* Tronnier VM, 700
Foy PM. *See* Atkin SL, 85
Francel PC, Francel TJ, Mackinnon SE, Hertl C. Enhancing nerve regeneration across a silicone tube conduit by using interposed short-segment nerve grafts, 887
Francel TJ. *See* Francel PC, 887
Frazee JG. *See* Malisch TW, 176
_____. *See* Murayama Y, 830
Fréger P. *See* Proust F, 950
Fujikawa H. *See* Sato M, 752
Fukushima T. *See* Day JD, 544
Fukuyama K. *See* Rutka JT, 420
Fulgham JR. *See* Thielen KR, 184

Gabriel A. *See* Vukovich TC, 508
García L. *See* Proaño JV, 29
García-Torres E. *See* Proaño JV, 29

Garrote M. *See* Cohen JE, 963
Geddes JF. *See* Casey ATH, 856
Geffray F. *See* Chaskis C, 472
George B. Anterior cervical foraminotomy. Letter, 653
Gerdes JS. *See* Muhonen MG, 301
Ghosh S, Colohan ART. Book review, 977
Giannotta SL. *See* Day JD, 544
_____. *See* Kittaka M, 731
_____. *See* Lavine SD, 817
Gillis TA. *See* Gokaslan ZL, 781
Ginsberg MD. *See* Belayev L, 595
Giusa M. *See* D'Avella D, 768
Gobin YP. *See* Malisch TW, 176
_____. *See* Murayama Y, 830
Gokaslan ZL, Romsdahl MM, Kroll SS, Walsh GL, Gillis TA, Wildrick DM, Leavens ME. Total sacrectomy and Galveston L-rod reconstruction for malignant neoplasms. Technical note, 781
Gomori JM. *See* Spektor S, 464
Gooskens RHJM. *See* Boon AJW, 687
Grady MS. *See* Le Roux PD, 1
Grady RE. *See* Meyer FB, 934
Grane P. *See* Karlsson B, 327
Gray WP, Keohane C, Kirwan WO. Motor nerve transplantation, 615
Green VL. *See* Atkin SL, 85
Greenblatt SH. The crucial decade: modern neurosurgery's definitive development in Harvey Cushing's early research and practice, 1900 to 1910, 964
Greene KA, Marciano FF, Harrington TR. Posttraumatic vasospasm. Letter, 134
Greenwald D. *See* Simpkins JW, 724
Gress D. *See* Higashida RT, 944
Groscurth P. *See* Yonekawa Y, 636
Gross C, Rougier A, Guehl D, Boraud T, Julien J, Bioulac B. High-frequency stimulation of the globus pallidus internalis in Parkinson's disease: a study of seven cases, 491
Grossman RG. *See* Krauss JK, 358
Gruber DP. *See* Kennedy EM, 677
Guarnieri M. *See* Carson BS, 103
Guehl D. *See* Gross C, 491
Guglielmi G. *See* Malisch TW, 176
_____. *See* Murayama Y, 830
Guha A. *See* Carroll RS, 315
Gumowski J. *See* Olson BR, 499
Gundamraj NR. *See* Dujovny M, 788
Gutin PH. *See* Wald LL, 525

Haapasalo H. *See* Antinheimo J, 610
Hadley MN. *See* Meythaler JM, 415
_____. *See* Vale FL, 239
Hague K. *See* Sen C, 535
Haines DE. *See* Lancon JA, 338
Halbach VV. *See* Higashida RT, 944
Haltia M. *See* Antinheimo J, 610
Hamada JI. *See* Nagahiro S, 385
Han Y. *See* Seyfried D, 716
Hanlo PW. *See* Boon AJW, 687
Hannequin D. *See* Proust F, 950
Hansen A. *See* Rawanduzy A, 916
Hansen HC, Helmke K. Validation of the optic nerve sheath response to changing cerebrospinal fluid pressure: ultrasound findings during intrathecal infusion tests, 34
Hansen TW. *See* Rawanduzy A, 916
Harbaugh KS, Tiel RL, Kline DG. Ganglion cyst involvement of peripheral nerves, 403
Harimoto K. *See* Sakamoto T, 132
Harper RL. *See* Tomaras CR, 41
Harper W. *See* Porter PJ, 190
Harrington TR. *See* Greene KA, 134

Index

HASHIMOTO N. *See* Iwama T, 440
HAYASAKI K. *See* Barzó P, 900
HAYS AP. *See* Abouzahr MK, 122
HEFFEZ DS. Arteriovenous malformations and magnetic resonance imaging. Letter, 648
HEIMANN A. *See* Nakase H, 307
HELMKE K. *See* Hansen HC, 34
HENDERSON FC. *See* Feigenbaum F, 458
HENRY RG. *See* Wald LL, 525
HERMANS J. *See* Boon AJW, 687
HERTL C. *See* Francel PC, 887
HIGASHIDA RT, SMITH W, GRESS D, URWIN R, DOWD CF, BALOUSEK P, HALBACH VV. Intravascular stent and endovascular coil placement for a ruptured fusiform aneurysm of the basilar artery. Case report and review of the literature, 944
HINOKUMA K. *See* Nishizawa S, 131
HIPKIN LJ. *See* Atkin SL, 85
HO KL. *See* Enam SA, 100
HOFF JT. *See* Lee KR, 73
HOLLIDAY MJ. *See* Sampath P, 60
HOLLOWAY K, BULLOCK R, MARMAROU A. Ventriculostomy or subgaleal shunting? Letter, 486
HOLLOWAY KL. *See* Doppenberg EMR, 809
HORNER TG. *See* Leipzig TJ, 487
HOUKIN K. *See* Rahman Zurin AA, 109
HOVDA DA. *See* Bergsneider M, 804
_____. *See* Lee JH, 221
_____. *See* Martin NA, 9
HSIANG JNK, YEUNG T, YU ALM, POON WS. High-risk mild head injury, 234
HUANG DL. *See* Sagher O, 431
HUBBARD SL. *See* Rutka JT, 420
HUDSON AR. *See* Kline DG, 483
HUHN SL. *See* Wald LL, 525

IIJIMA A. *See* Tsutsumi K, 870
IMAI K, TSUJIGUCHI K, TODA C, SUNG KC, TAJIMA S, SAKAMOTO H, MATSUDA Y. Osteoblastoma of the nasal cavity invading the anterior skull base in a young child. Case report, 625
IMAJOH-OHMI S. *See* Sato M, 752
IMHOF HG. *See* Yonekawa Y, 636
INAMORI S. *See* Iwama T, 440
INCI S. *See* Erbengi A, 764
INOUE S. *See* Sakamoto T, 132
ISHII N. *See* Sawamura Y, 262
IWAMA T, HASHIMOTO N, TODAKA T, SASAKO Y, INAMORI S, KURO M. Resection of a large, high-flow arteriovenous malformation during hypotension and hypothermia induced by a percutaneous cardiopulmonary support system. Case report, 440

JÄÄSKELÄINEN J. *See* Antinheimo J, 610
JACKSON AB. *See* Vale FL, 239
JACOBOWITZ R. *See* Lawton MT, 267
JACOBS GB. *See* Welch WC, 397
JACQUES DE. *See* Kopyov O, 52
JANE JA SR. *See* Laws ER Jr, 972
JANKOVIC J. *See* Krauss JK, 358
JEFFREYS RV. *See* Atkin SL, 85
JENG AY. *See* Kwan AL, 281
JENKINS RB. *See* Cunningham JM, 133
JHO HD. Anterior cervical foraminotomy. Letter, 654
_____. Endoscopic microscopic transpedicular thoracic discectomy. Technical note, 125
_____, CARRAU RL. Endoscopic endonasal transsphenoidal surgery: experience with 50 patients, 44
JONES EG, MACCHI G. The motor thalamus. Letter, 982
JORDAN W. *See* Vale FL, 940
JOSEPH JT. Astrocytoma and Ki-67. Letter, 133
JULIEN J. *See* Gross C, 491
JUNG S. *See* Rutka JT, 420
JUNGER E. *See* Newell DW, 485
JUSTICE AC. *See* King JT Jr., 20
JUVELA S. *See* Peltonen S, 207

KAKOU MK. *See* Destreux C, 67
KAMMERHUBER F. *See* Leber KA, 644
KANEV PM. Functional hemispherectomy. Letter, 802
KAPTAIN GJ. Book review, 482
KARAHALIOS DG. *See* Apostolides PJ, 96
KARLSSON B, ERICSON K, KIHLSTRÖM L, GRANE P. Tumor seeding following stereotactic biopsy of brain metastases. Report of two cases, 327
KASHIWASAKE-JIBU M. *See* Sakatani K, 738
KASSELL NF. *See* Kwan AL, 281
KASTE M. *See* Peltonen S, 207
KATSUTA T. *See* Wen HT, 555
KAUFMAN HH. *See* Khosrovi H, 773
KAWAMATA T, PETERSON JW, BUN T, ZERVAS NT. Augmentation of both hemolysate-induced contraction and activation of protein kinase C by submaximum activation in canine cerebral arteries in vitro, 908
KEMPSKI OS. *See* Nakase H, 307
KENNEDY EM, GRUBER DP, BILLMIRE DA, CRONE KR. Transpalatal approach for the extracranial surgical repair of transsphenoidal cephaloceles in children, 677
KEOHANE C. *See* Gray WP, 615
KHOSROVI H, ORTIZ O, KAUFMAN HH, SCHOCHET SS JR., REDDY GN, SIMMONS D. Massive osteolysis of the skull and upper cervical spine. Case report and review of the literature, 773
KIHLSTRÖM L. Obliterated AVMs. Letter, 980
_____. *See* Karlsson B, 327
KIKUCHI Y. *See* Rahman Zurin AA, 109
KIMMEL DW. *See* Cunningham JM, 133
KING DE. *See* Krauss JK, 358
KING JT JR., SPERLING MR, JUSTICE AC, O'CONNOR MJ. A cost-effectiveness analysis of anterior temporal lobectomy for intractable temporal lobe epilepsy, 20
_____. *See* Lasner TM, 381
KIRINO T. *See* Maeda K, 436
_____. *See* Tsutsumi K, 870
KIRSCH M. *See* Carroll RS, 315
KIRWAN WO. *See* Gray WP, 615
KITTAKA M, GIANNOTTA SL, ZELMAN V, CORREALE JD, DEGIORGIO CM, WEISS MH, ZLOKOVIC BV. Attenuation of brain injury and reduction of neuron-specific enolase by nicardipine in systemic circulation following focal ischemia and reperfusion in a rat model, 731
KLINE DG, HUDSON AR. Diagnosis of root avulsions. Letter, 483
_____. *See* Harbaugh KS, 403
KLUCZNICK RP. *See* Murayama Y, 830
KOCAC H. *See* Colak A, 652
KOGLER S. *See* Leber KA, 644
KONDZIOLKA D. *See* Pollock BE, 450, 648
KONISHI A. *See* Sakamoto T, 132
KOONG SS. *See* Laske DW, 586
KOPYOV A. *See* Kopyov O, 52
KOPYOV O, JACQUES DE, DUMA C, BUCKWALTER G, KOPYOV A, LIEBERMAN A, COPCUTT B. Microelectrode-guided posteroventral medial radiofrequency pallidotomy for Parkinson's disease, 52
KORMANIK PA. *See* Chamberlain MC, 694
KOYANAGI I. *See* Tator CH, 800
KRAUSS JK, DESALOMS JM, LAI EC, KING DE, JANKOVIC J, GROSSMAN RG. Microelectrode-guided posteroventral pallidotomy for treatment of Parkinson's disease: postoperative magnetic resonance imaging analysis, 358
_____, MUNDINGER F. Cavum septum pellucidum cysts. Letter, 337
KROLL SS. *See* Gokaslan ZL, 781

KRONENBUERGER M. *See* Tronnier VM, 700
KUBE SD. *See* Armstrong RW, 409
KUJAS M. *See* Ouallet JC, 445
KURITA H. *See* Maeda K, 436
KURO M. *See* Iwama T, 440
KWAK TE. *See* Yonekawa Y, 636
KWAN AL, BAVBEK M, JENG AY, MANIARA W, TOYODA T, LAPPE RW, KASSELL NF, LEE KS. Prevention and reversal of cerebral vasospasm by an endothelin-converting enzyme inhibitor, CGS 26303, in an experimental model of subarachnoid hemorrhage, 281

LAI EC. *See* Krauss JK, 358
LAM AM. *See* Le Roux PD, 1
LAMBERT E. *See* Bayston R, 247
LANCON JA, HAINES DE, RAILA FA, PARENT AD, VEDANARAYANAN VV. Cavum septum pellucidum cysts. Letter, 338
LANDOLT AM. *See* Atkin SL, 85
LANGE DJ. *See* Abouzahr MK, 122
LANGEVIN P. *See* Preul MC, 113
LAPPE RW. *See* Kwan AL, 281
LAQUERRIERE A. *See* Proust F, 950
LARSON DA. *See* Wald LL, 525
LA ROSA G. *See* D'Avella D, 768
LASKE DW, MORRISON PF, LIEBERMAN DM, CORTHESY ME, REYNOLDS JC, STEWART-HENNEY PA, KOONG SS, CUMMINS A, PAIK CH, OLDFIELD EH. Chronic interstitial infusion of protein to primate brain: determination of drug distribution and clearance with single-photon emission computerized tomography imaging, 586
LASNER TM, WEIL RJ, RIINA HA, KING JT JR., ZAGER EL, RAPS EC, FLAMM ES. Cigarette smoking–induced increase in the risk of symptomatic vasospasm after aneurysmal subarachnoid hemorrhage, 381
LASSILA R. *See* Peltonen S, 207
LATOV N. *See* Abouzahr MK, 122
LAU N. *See* Carroll RS, 315
LAURETTI L. *See* Fernandez E, 649
_____. *See* Pallini R, 333
LAVINE SD, MASRI LS, LEVY ML, GIANNOTTA SL. Temporary occlusion of the middle cerebral artery in intracranial aneurysm surgery: time limitation and advantage of brain protection, 817
LAWS ER JR., PAIT TG, JANE JA SR. Pitfalls and successes of peer review in neurosurgery, 972
LAWTON MT, JACOBOWITZ R, SPETZLER RF. Redefined role of angiogenesis in the pathogenesis of dural arteriovenous malformations, 267
LEAVENS ME. *See* Gokaslan ZL, 781
LEBER KA, PENDL G, KOGLER S, KAMMERHUBER F, EBNER F. Simultaneous spinal and intracranial chronic subdural hematoma. Case illustration, 644
LEBLANC R. *See* Preul MC, 113
LEE JH, MARTIN NA, ALSINA G, MCARTHUR DL, ZAUCHA K, HOVDA DA, BECKER DP. Hemodynamically significant cerebral vasospasm and outcome after head injury: a prospective study, 221
_____. *See* Martin NA, 9
LEE JY. Book review, 798
LEE KR, DRURY I, VITARBO E, HOFF JT. Seizures induced by intracerebral injection of thrombin: a model of intracerebral hemorrhage, 73
LEE KS. *See* Kwan AL, 281
LEFRANCQ T. *See* Destreux C, 67
LEIPZIG TJ, REDELMAN K, HORNER TG. Antifibrinolytic therapy. Letter, 487
LE ROUX PD, NEWELL DW, LAM AM, GRADY MS, WINN HR. Cerebral arteriovenous oxygen difference: a predictor of cerebral infarction and outcome in patients with severe head injury, 1
LEVY ML. *See* Lavine SD, 817
LEWIS AI, ROSENBLATT SS, TEW JM JR. Surgical management of deep-seated dural arteriovenous malformations, 198

LIEBERMAN A. *See* Kopyov O, 52
LIEBERMAN DM. *See* Laske DW, 586
LIM JY, DE SALLES AAF, BRONSTEIN J, MASTERMAN D, SAVER JL. Delayed internal capsule infarctions following radiofrequency pallidotomy. Report of three cases, 955
LIN JJ, CHANG DC. Tremor caused by ipsilateral chronic subdural hematoma. Case illustration, 474
LIN YX. *See* Anderson GD, 252
LOFTUS CM, PIPER JG. Internal carotid artery or ascending pharyngeal. Letter, 803
_____. *See* Muhonen MG, 301
_____. *See* Robertson SC, 927
LONG DM. *See* Sampath P, 60
LÓPEZ F. *See* Martínez-Lage JF, 468
LOWRY DW, POLLACK IF, CLYDE B, ALBRIGHT AL, ADELSON PD. Upper cervical spine fusion in the pediatric population, 671
LÜTJEN-DRECOLL E. *See* Strauss C, 893
LUERSSEN TG. Brain tissue pressure gradients. Letter, 134
LUFT AR. *See* Bitzer M, 368
LUNDBOM N. *See* Tedeschi G, 516
LUNSFORD LD. *See* Pollock BE, 648

MACARTHUR DC, PRICE RF. Minor head injury. Letter, 485
MACCHI G. *See* Jones EG, 982
MACKINNON SE. *See* Francel PC, 887
MADRAZO I. *See* Proaño JV, 29
MAEDA K, KURITA H, NAKAMURA T, USUI M, TSUTSUMI K, MORIMOTO T, KIRINO T. Occurrence of severe vasospasm following intraventricular hemorrhage from an arteriovenous malformation. Report of two cases, 436
_____. *See* Tsutsumi K, 870
MALIS L. Ventriculostomy or subgaleal shunting? Letter, 486
MALISCH TW, GUGLIELMI G, VIÑUELA F, DUCKWILER G, GOBIN YP, MARTIN NA, FRAZEE JG. Intracranial aneurysms treated with Guglielmi detachable coil: midterm clinical results in a consecutive series of 100 patients, 176
_____. *See* Murayama Y, 830
MAMATA Y. *See* Shimoda M, 170
MANIARA W. *See* Kwan AL, 281
MARCIANO FF. *See* Choi WG, 757
_____. *See* Greene KA, 134
MARION DW. *See* McLaughlin M, 336
MARMAROU A. *See* Barzó P, 900
_____. *See* Holloway K, 486
MARSOT-DUPUCH K. *See* Ouallet JC, 445
MARTIN NA, PATWARDHAN RV, ALEXANDER MJ, AFRICK CZ, LEE JH, SHALMON E, HOVDA DA, BECKER DP. Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9
_____. *See* Lee JH, 221
_____. *See* Malisch TW, 176
_____. *See* Murayama Y, 830
MARTÍNEZ-LAGE JF, LÓPEZ F, PIQUERAS C, POZA M. Iatrogenic intradiploic meningoencephalocele. Case report, 468
MASON RB, NIEMAN LK, DOPPMAN JL, OLDFIELD EH. Selective excision of adenomas originating in or extending into the pituitary stalk with preservation of pituitary function, 343
MASRI LS. *See* Lavine SD, 817
MASTERMAN D. *See* Lim JY, 955
MATHIESEN T, EDNER G, ULFARSSON E, ANDERSSON B. Cerebrospinal fluid interleukin-1 receptor antagonist and tumor necrosis factor–α following subarachnoid hemorrhage, 215
MATSUDA Y. *See* Imai K, 625
MATSUMOTO T. *See* Sato M, 752
MATSUZAWA K. *See* Rutka JT, 420
MATTHIES C, CARVALHO GA, PENKERT G, NIKKHAH G, SAMII M. Diagnosis of root avulsions. Letter, 483
MATULA C. *See* Vukovich TC, 508
MAWAD ME. *See* Murayama Y, 830
MCARTHUR DL. *See* Lee JH, 221

Index

McCARY A. *See* Meythaler JM, 415
McDERMOTT M. *See* Wald LL, 525
McDONALD W. *See* Tamaki M, 602
McLAUGHLIN M, MARION DW. Cerebral blood flow and vasoresponsivity. Letter, 336
MENOVSKY T, VAN OVERBEEKE JJ. Hypoglossal-facial nerve anastomosis. Letter, 649
MEYER FB, GRADY RE, ABEL MD, NICHOLS DA, CAMINHA SS, ROBB RA, BATES LM. Resection of a large temporooccipital parenchymal arteriovenous fistula by using deep hypothermic circulatory bypass. Case report, 934
_____. *See* Nichols DA, 374
MEYTHALER JM, McCARY A, HADLEY MN. Prospective assessment of continuous intrathecal infusion of baclofen for spasticity caused by acquired brain injury: a preliminary report, 415
MICHOTTE A. *See* Chaskis C, 472
MIRA JC. *See* Bertelli JA, 79
MISRA M. *See* Dujovny M, 788
MOIN K. *See* Seyfried D, 716
MOORE E. *See* Tamaki M, 602
MORIMOTO T. *See* Maeda K, 436
MORREALE VM, EBERSOLD MJ, QUAST LM, PARISI JE. Cerebellar astrocytoma: experience with 54 cases surgically treated at the Mayo Clinic, Rochester, Minnesota, from 1978 to 1990, 257
MORRISON PF. *See* Laske DW, 586
MOSS SD. Nonsurgical, nonorthotic treatment of occipital plagiocephaly: what is the natural history of the misshapen neonatal head? 667
MOSS T. *See* Premsagar IC, 454
MUHONEN MG, ROBERTSON SC, GERDES JS, LOFTUS CM. Effects of serotonin on cerebral circulation after middle cerebral artery occlusion, 301
MUNDINGER F. *See* Krauss JK, 337
MURAKAMI M. *See* Rutka JT, 420
MURALIKRISHNA RAO A. *See* Dogan A, 921
MURAYAMA Y, MALISCH T, GUGLIELMI G, MAWAD ME, VIÑUELA F, DUCKWILER GR, GOBIN YP, KLUCZNICK RP, MARTIN NA, FRAZEE J. Incidence of cerebral vasospasm after endovascular treatment of acutely ruptured aneurysms: report on 69 cases, 830

NAGAHIRO S, HAMADA JI, SAKAMOTO Y, USHIO Y. Follow-up evaluation of dissecting aneurysms of the vertebrobasilar circulation by using gadolinium-enhanced magnetic resonance imaging, 385
NAKAJIMA H. *See* Yasui T, 800
NAKAMURA T. *See* Maeda K, 436
NAKASE H, KEMPSKI OS, HEIMANN A, TAKESHIMA T, TINTERA J. Microcirculation after cerebral venous occlusion assessed by laser Doppler scanning, 307
NARANJA RJ JR. *See* Torg JS, 843
NEDERGAARD M. *See* Rawanduzy A, 916
NELSON SJ. *See* Wald LL, 525
NEWELL DW, JUNGER E. Minor head injury. Letter, 485
_____. *See* Le Roux PD, 1
NICHOLS DA, BROWN RD JR., THIELEN KR, MEYER FB, ATKINSON JLD, PIEPGRAS DG. Endovascular treatment of ruptured posterior circulation aneurysms using electrolytically detachable coils, 374
_____. *See* Meyer FB, 934
_____. *See* Thielen KR, 184
NIEMAN LK. *See* Mason RB, 343
NIKKHAH G. *See* Samii M, 881
NINA P. *See* Schisano G, 486
NIPARKO JK. *See* Sampath P, 60
NISHIZAWA S, YOKOYAMA T, HINOKUMA K, OHTA S, UEMURA K, TAKAHASHI H. Pituitary astrocytoma: magnetic resonance imaging and hormonal characteristics. Case illustration, 131
NOVOTNY PJ. *See* Cunningham JM, 133
NOWOROLSKI SE. *See* Wald LL, 525
NUSSBAUM ES, ROCKSWOLD GL. Pott's disease. Letter, 137

OBERER DM. *See* Paulus W, 89
O'CONNOR MJ. *See* King JT Jr., 20
ODA S. *See* Shimoda M, 170
O'FALLON JR. *See* Cunningham JM, 133
OGATA N. *See* Yonekawa Y, 636
OHMOTO T. *See* Date I, 324
OHTA S. *See* Nishizawa S, 131
OJEMANN GA. *See* Anderson GD, 252
_____. *See* Avellino AM, 391
OJEMANN JG, PARK TS. Posterior rhizotomy. Letter, 334
OKADA Y. *See* Tsutsumi K, 870
OLARTE M. *See* Abouzahr MK, 122
OLDFIELD EH. *See* Laske DW, 586
_____. *See* Mason RB, 343
_____. *See* Olson BR, 499
_____. *See* Pluta RM, 287, 746
OLIVECRONA M. *See* Yonekawa Y, 636
OLSON BR, GUMOWSKI J, RUBINO D, OLDFIELD EH. Pathophysiology of hyponatremia after transsphenoidal pituitary surgery, 499
OPITZ H. *See* Bitzer M, 368
ORTIZ O. *See* Khosrovi H, 773
OSHIRO EM, RINI DA, TAMARGO RJ. Contralateral approaches to bilateral cerebral aneurysms: a microsurgical anatomical study, 163
OSTERTAG CB. *See* Behrens PF, 336
OUALLET JC, MARSOT-DUPUCH K, VAN EFFENTERRE R, KUJAS M, TUBIANA JM. Papillary adenoma of endolymphatic sac origin: a temporal bone tumor in von Hippel–Lindau disease. Case report, 445

PAIK CH. *See* Laske DW, 586
PAIT TG. *See* Laws ER Jr., 972
PALLINI R, LAURETTI L, FERNANDEZ E, COLOSIMO C. Giant chondroma of the falx. Letter, 333
_____. *See* Fernandez E, 649
PALMA P. *See* Fernandez E, 649
PALMER CA. *See* Vale FL, 940
PAPADAKIS KA, VARTIVARIAN SE, VASSILAKI ME, ANAISSIE EJ. *Stenotrophomonas maltophilia* meningitis. Report of two cases and review of the literature, 106
PARENT AD. *See* Lancon JA, 338
PARISI JE. *See* Morreale VM, 257
PARK CC, SHIN ML, SIMARD JM. The complement membrane attack complex and the bystander effect in cerebral vasospasm, 294
PARK TS. *See* Ojemann JG, 334
PARKER WD. *See* Tomaras CR, 41
PATWARDHAN RV. *See* Martin NA, 9
PAULUS W, BAUR I, OBERER DM, BREAKEFIELD XO, REEVES SA. Regulated expression of the diphtheria toxin A gene in human glioma cells using prokaryotic transcriptional control elements, 89
PAVLOV H. *See* Torg JS, 843
PECOT-DECHAVASSINE M. *See* Bertelli JA, 79
PEERLESS SJ. *See* Drake CG, 141
PELLEGRINO ED. *See* Feigenbaum F, 458
PELTONEN S, JUVELA S, KASTE M, LASSILA R. Hemostasis and fibrinolysis activation after subarachnoid hemorrhage, 207
PENDL G. *See* Leber KA, 644
PENKERT G. *See* Samii M, 881
PERCEC I. *See* Carroll RS, 315
PERCHERON G. The motor thalamus. Letter, 981
PERIN NI. *See* Arginteanu MS, 761
PETER JC. *See* Taylor AG, 512
PETERSEN D. *See* Bitzer M, 368
PETERSON JW. *See* Kawamata T, 908
PIEPGRAS DG. *See* Nichols DA, 374
_____. *See* Thielen KR, 184
PIPER JG. *See* Loftus CM, 803
PIQUERAS C. *See* Martínez-Lage JF, 468
PIROUZMAND F, WALLACE MC, WILLINSKY R. Spinal epidural arteriovenous fistula with intramedullary reflux. Case report, 633

PLUTA RM, BOOCK RJ, AFSHAR JK, CLOUSE K, BACIC M, EHRENREICH H, OLDFIELD EH. Source and cause of endothelin-1 release into cerebrospinal fluid after subarachnoid hemorrhage, 287
_____, OLDFIELD EH, BOOCK RJ. Reversal and prevention of cerebral vasospasm by intracarotid infusions of nitric oxide donors in a primate model of subarachnoid hemorrhage, 746
POLLACK IF. *See* Lowry DW, 671
POLLOCK BE, KONDZIOLKA D. Stereotactic radiosurgical treatment of sphenopalatine neuralgia. Case report, 450
_____, _____, FLICKINGER JC, LUNSFORD LD. Arteriovenous malformations and magnetic resonance imaging. Letter, 648
POON WS. *See* Hsiang JNK, 234
PORTER PJ, WILLINSKY RA, HARPER W, WALLACE MC. Cerebral cavernous malformations: natural history and prognosis after clinical deterioration with or without hemorrhage, 190
PORTER RW. *See* Detwiler PW, 629
POST KD, CATASLANO PJ, EISENBERG MB. Hearing and vestibular schwannomas. Letter, 133
POZA M. *See* Martínez-Lage JF, 468
PRADOS MD. *See* Wald LL, 525
PREMSAGAR IC, MOSS T, COAKHAM HB. Teflon-induced granuloma following treatment of trigeminal neuralgia by microvascular decompression. Report of two cases, 454
PREUL MC, LEBLANC R, CENDES F, DUBEAU F, REUTENS D, SPREAFICO R, BATTAGLIA G, AVOLI M, LANGEVIN P, ARNOLD DL, VILLEMURE JG. Function and organization in dysgenic cortex. Case report, 113
PRIANO S. *See* Torg JS, 843
PRICE RF. *See* Macarthur DC, 485
PROAÑO JV, MADRAZO I, GARCÍA L, GARCÍA-TORRES E, CORREA D. Albendazole and praziquantel treatment in neurocysticercosis of the fourth ventricle, 29
PROUST F, CALLONEC F, BELLOW F, LAQUERRIERE A, HANNEQUIN D, FRÉGER P. Tentorial edge traumatic aneurysm of the superior cerebellar artery. Case report, 950

QUAST LM. *See* Morreale VM, 257
QUEENAN JV. Book review, 798, 977

RAFAEL H. Omental transplantation and spinal cord injury. Letter, 800
RAGHAVENDRA RAO VL. *See* Dogan A, 921
RAHMAN ZURIN AA, USHIKOSHI S, HOUKIN K, KIKUCHI Y, ABE H, SAITOH H. Cerebral abscess as an unusual complication of coil embolization for a dural arteriovenous fistula. Case report, 109
RAILA FA. *See* Lancon JA, 338
RAINOV NG, BURKERT W. Miliary metastatic brain tumors. Letter, 979
RAJAKUMAR G. *See* Simpkins JW, 724
RAMAN R. *See* Tedeschi G, 516
RAPS EC. *See* Lasner TM, 381
RASTL J. *See* Dogan A, 921
RAWANDUZY A, HANSEN A, HANSEN TW, NEDERGAARD M. Effective reduction of infarct volume by gap junction blockade in a rodent model of stroke, 916
REDDY GN. *See* Khosrovi H, 773
REDEKOP GJ, DURITY FA, WOODHURST WB. Management-related morbidity in unselected aneurysms of the upper basilar artery, 836
REDELMAN K. *See* Leipzig TJ, 487
REEVES SA. *See* Paulus W, 89
REMPEL S. *See* Seyfried D, 716
RESNICK DK. Endodermal sinus tumor and spinal cord compression. Letter, 653
REUTENS D. *See* Preul MC, 113
REYNOLDS JC. *See* Laske DW, 586
RHOTON AL JR. *See* Wen HT, 555
RICH JC. In times of change learners inherit the earth. The 1997 presidential address, 659
RIINA HA. *See* Lasner TM, 381
RINI DA. *See* Oshiro EM, 163
ROBB RA. *See* Meyer FB, 934
ROBERTSON SC, WETJEN NM, BEER BJ, LOFTUS CM. Pre- and postischemic effects of the NMDA receptor antagonist dizocilpine maleate (MK-801) on collateral cerebral blood flow, 927
_____. *See* Muhonen MG, 301
ROCKSWOLD GL. *See* Nussbaum ES, 137
ROMSDAHL MM. *See* Gokaslan ZL, 781
ROSE RD. Posterior rhizotomy. Letter, 334
_____. *See* Welch WC, 397
ROSENBLATT SS. *See* Lewis AI, 198
ROSENBLUM ML. *See* Enam SA, 100
ROSTOMILY RC. *See* Avellino AM, 391
ROTH P. *See* Yonekawa Y, 636
ROUGIER A. *See* Gross C, 491
ROWLAND LP. *See* Abouzahr MK, 122
RUBINO D. *See* Olson BR, 499
RUTKA JT, MURAKAMI M, DIRKS PB, HUBBARD SL, BECKER LE, FUKUYAMA K, JUNG S, TSUGU AS, MATSUZAWA K. Role of glial filaments in cells and tumors of glial origin: a review, 420
RYU RK. *See* Duke BJ, 825

SAGHER O, HUANG DL, WEBB RC. Induction of rewarming following hypothermia: hypercontractility in human cerebral arteries by a possible role for tyrosine kinase, 431
SAINIO M. *See* Antinheimo J, 610
SAITOH H. *See* Rahman Zurin AA, 109
SAKAMOTO H. *See* Imai K, 625
SAKAMOTO T, HARIMOTO K, INOUE S, KONISHI A. Extradural hematoma following maxillary sinusitis. Case illustration, 132
SAKAMOTO Y. *See* Nagahiro S, 385
SAKATANI K, KASHIWASAKE-JIBU M, TAKA Y, WANG S, ZUO H, YAMAMOTO K, SHIMIZU K. Noninvasive optical imaging of the subarachnoid space and cerebrospinal fluid pathways based on near-infrared fluorescence, 738
SAMII M, CARVALHO GA, NIKKHAH G, PENKERT G. Surgical reconstruction of the musculocutanous nerve in traumatic brachial plexus injuries, 881
_____. *See* Antinheimo J, 610
SAMPATH P, HOLLIDAY MJ, BREM H, NIPARKO JK, LONG DM. Facial nerve injury in acoustic neuroma (vestibular schwannoma) surgery: etiology and prevention, 60
SANDERS M, ZUURMOND WWA. Efficacy of sphenopalatine ganglion blockade in 66 patients suffering from cluster headache: a 12- to 70-month follow-up evaluation, 876
SANTINI JJ. *See* Destreux C, 67
SASAKO Y. *See* Iwama T, 440
SATO M, TANI E, MATSUMOTO T, FUJIKAWA H, IMAJOH-OHMI S. Generation of the catalytic fragment of protein kinase C alpha in spastic canine basilar artery, 752
SATO O. *See* Shimoda M, 170
SAVER JL. *See* Lim JY, 955
SAWAMURA Y. Hypoglossal–facial nerve anastomosis. Letter, 650
_____, DE TRIBOLET N, ISHII N, ABE H. Management of primary intracranial germinomas: diagnostic surgery or radical resection? 262
SCHAEFER B. *See* Vukovich TC, 508
SCHALLER C, SCHRAMM J. Arteriovenous malformations and magnetic resonance imaging. Letter, 647
SCHEITHAUER BW. *See* Cunningham JM, 133
SCHIEVINK WI. *See* Wijdicks EFM, 275
SCHISANO G, NINA P. Antifibrinolytic therapy. Letter, 486
SCHNEIDER BF, EBERHARD DA, STEINER LE. Histopathology of arteriovenous malformations after gamma knife radiosurgery, 352
SCHOCHET SS JR. *See* Khosrovi H, 773
SCHRAMM J, BEHRENS E. Functional hemispherectomy. Letter, 801
_____. *See* Schaller C, 647
SEBILLE A. *See* Bertelli JA, 79
SEN C, HAGUE K. Meningiomas involving the cavernous sinus: histological factors affecting the degree of resection, 535

Index

SENNETT BJ. *See* Torg JS, 843
SEYFRIED D, HAN Y, ZHENG Z, DAY N, MOIN K, REMPEL S, SLOANE B, CHOPP M. Cathepsin B and middle cerebral artery occlusion in the rat, 716
SGOUROS S. Shunt versus subarachnoid reconstruction. Letter, 652
SHAH MV. *See* Wolfla CE, 643
SHALMON E. *See* Martin NA, 9
SHAW CM. *See* Avellino AM, 391
SHEPARD MJ. *See* Bracken MB, 336
SHIMIZU K. *See* Sakatani K, 738
SHIMODA M, ODA S, MAMATA Y, TSUGANE R, SATO O. Surgical indications in patients with an intracerebral hemorrhage due to ruptured middle cerebral artery aneurysm, 170
SHIN ML. *See* Park CC, 294
SIEVERT T. *See* Bitzer M, 368
SILBERGELD DL, CHICOINE MR. Tumor in normal brain. Letter, 485
SIMARD JM. *See* Park CC, 294
SIMMONS D. *See* Khosrovi H, 773
SIMPKINS CE. *See* Simpkins JW, 724
SIMPKINS JW, RAJAKUMAR G, ZHANG YQ, SIMPKINS CE, GREENWALD D, YU CJ, BODOR N, DAY AL. Estrogens may reduce mortality and ischemic damage caused by middle cerebral artery occlusion in the female rat, 724
SLOANE B. *See* Seyfried D, 716
SMITH W. *See* Higashida RT, 944
SNEED PK. *See* Wald LL, 525
SONG GS, THEODORE N, DICKMAN CA, SONNTAG VKH. Unilateral posterior atlantoaxial transarticular screw fixation, 851
SONNTAG VKH. *See* Apostolides PJ, 96
_____. *See* Song GS, 851
SPEKTOR S, GOMORI JM, BENI-ADANI L, CONSTANTINI S. Spinal echinococcal cyst: treatment using computerized tomography-guided needle aspiration and hypertonic saline irrigation. Case report, 464
SPERLING MR. *See* King JT Jr., 20
SPETZLER RF. Bone flap fixation: a new technique. Technical note, 475
_____. *See* David CA, 795
_____. *See* Detwiler PW, 629
_____. *See* Lawton MT, 267
SPISS CK. *See* Vukovich TC, 508
SPREAFICO R. *See* Preul MC, 113
STEINBOK P. *See* Armstrong RW, 409
STEINER LE. *See* Schneider BF, 352
STEINVORTH S. *See* Tronnier VM, 700
STEVENS J. *See* Casey ATH, 856, 863
STEWART-HENNEY PA. *See* Laske DW, 586
STRAUSS C, LÜTJEN-DRECOLL E, FAHLBUSCH R. Pericollicular surgical approaches to the rhomboid fossa. Part I. Anatomical basis, 893
STROMMER K. *See* Yonekawa Y, 636
SULMASY DP. *See* Feigenbaum F, 458
SUNG KC. *See* Imai K, 625
TAJIMA S. *See* Imai K, 625
TAKA Y. *See* Sakatani K, 738
TAKAHASHI H. *See* Nishizawa S, 131
TAKESHIMA T. *See* Nakase H, 307
TAMAKI M, MCDONALD W, AMBERGER VR, MOORE E, DEL MAESTRO RF. Implantation of C6 astrocytoma spheroid into collagen type I gels: invasive, proliferative, and enzymatic characterizations, 602
TAMARGO RJ. *See* Oshiro EM, 163
TANEDA M. Posttraumatic vasospasm. Letter, 136
TANI E. *See* Sato M, 752
TANS JTJ. *See* Boon AJW, 687
TATAGIBA M. *See* Antinheimo J, 610
TATOR CH, KOYANAGI I. Omental transplantation and spinal cord injury. Letter, 800
TAYLOR AG, PETER JC. Patients with retained transcranial knife blades: a high-risk group, 512
TEDESCHI G, LUNDBOM N, RAMAN R, BONAVITA S, DUYN JH, ALGER JR, DI CHIRO G. Increased choline signal coinciding with malignant degeneration of cerebral gliomas: a serial proton magnetic resonance spectroscopy imaging study, 516
TEKINER A. *See* Colak A, 652
TESTAIUTI MA. Book review, 645
TEW JM JR. *See* Lewis AI, 198
THEODORE N. *See* Apostolides PJ, 96
_____. *See* Song GS, 851
THIBAULT LE. *See* Torg JS, 843
THIELEN KR, NICHOLS DA, FULGHAM JR, PIEPGRAS DG. Endovascular treatment of cerebral aneurysms following incomplete clipping, 184
_____. *See* Nichols DA, 374
THOMAS S. *See* Antinheimo J, 610
TIEL RL. *See* Harbaugh KS, 403
TINTERA J. *See* Nakase H, 307
TODA C. *See* Imai K, 625
TODAKA T. *See* Iwama T, 440
TOMARAS CR, BLACKLOCK JB, PARKER WD, HARPER RL. Outpatient surgical treatment of cervical radiculopathy, 41
TOMASELLO F. *See* D'Avella D, 768
TORG JS, CORCORAN TA, THIBAULT LE, PAVLOV H, SENNETT BJ, NARANJA RJ JR., PRIANO S. Cervical cord neurapraxia: classification, pathomechanics, morbidity, and management guidelines, 843
TOYODA T. *See* Kwan AL, 281
TRONNIER VM, FOGEL W, KRONENBUERGER M, STEINVORTH S. Pallidal stimulation: an alternative to pallidotomy, 700
TSUGANE R. *See* Shimoda M, 170
TSUGU AS. *See* Rutka JT, 420
TSUJIGUCHI K. *See* Imai K, 625
TSUTSUMI K, MAEDA K, IIJIMA A, USUI M, OKADA Y, KIRINO T. The relationship of preoperative magnetic resonance imaging findings and closed system drainage in the recurrence of chronic subdural hematoma, 870
_____. *See* Maeda K, 436
TUBIANA JM. *See* Ouallet JC, 445
TÜRE U, YAŞARGIL MG, AL-MEFTY O. The transcallosal-transforaminal approach to the third ventricle with regard to the venous variations in this region, 706
TURGOT M. Pott's disease. Letter, 136
UEMURA K. *See* Nishizawa S, 131
ULFARSSON E. *See* Mathiesen T, 215
URWIN R. *See* Higashida RT, 944
USHIKOSHI S. *See* Rahman Zurin AA, 109
USHIO Y. *See* Nagahiro S, 385
USUI M. *See* Maeda K, 436
_____. *See* Tsutsumi K, 870
VALE FL, BURNS J, JACKSON AB, HADLEY MN. Combined medical and surgical treatment after acute spinal cord injury: results of a prospective pilot study to assess the merits of aggressive medical resuscitation and blood pressure management, 239
_____, FISHER WS. Hemorrhage and shunting. Letter, 801
_____, FISHER WS III, JORDAN W, PALMER CA, VITEK J. Carotid endarterectomy performed after progressive carotid stenosis following angioplasty and stent placement. Case report, 940
VAN EFFENTERRE R. *See* Ouallet JC, 445
VAN OVERBEEKE JJ. *See* Bartels RHMA, 477
_____. *See* Menovsky T, 649
VANGENEUGDEN J. *See* Chaskis C, 472
VARTIVARIAN SE. *See* Papadakis KA, 106
VASSILAKI ME. *See* Papadakis KA, 106
VEDANARAYANAN VV. *See* Lancon JA, 338
VEITL M. *See* Vukovich TC, 508

VELUT S. *See* Destreux C, 67
VIGNERON DB. *See* Wald U, 525
VILLEMURE JG. *See* Preul MC, 113
VIÑUELA F. *See* Malisch TW, 176
_____. *See* Murayama Y, 830
VISHTEH AG. *See* Choi WG, 757
VITARBO E. *See* Lee KR, 73
VITEK J. *See* Vale FL, 940
VOIGT K. *See* Bitzer M, 368
VUKOVICH TC, GABRIEL A, SCHAEFER B, VEITL M, MATULA C, SPISS CK. Hemostasis activation in patients undergoing brain tumor surgery, 508

WAISBROD H. *See* Eisenberg E, 961
WAKHLOO AK. *See* Bitzer M, 368
WALD LL, NELSON SJ, DAY MR, NOWOROLSKI SE, HENRY RG, HUHN SL, CHANG S, PRADOS MD, SNEED PK, LARSON DA, WARA WM, MCDERMOTT M, DILLON WP, GUTIN PH, VIGNERON B. Serial proton magnetic resonance spectroscopy imaging of glioblastoma multiforme after brachytherapy, 525
WALLACE MC. *See* Pirouzmand F, 633
_____. *See* Porter PJ, 190
WALSH GL. *See* Gokaslan ZL, 781
WANG S. *See* Sakatani K, 738
WARA WM. *See* Wald LL, 525
WATSON JC. *See* Doppenberg EMR, 809
WEBB RC. *See* Sagher O, 431
WEIL RJ. *See* Lasner TM, 381
WEINGART JD. *See* Carson BS, 103
WEISS MH. *See* Kittaka M, 731
WELCH WC, ROSE RD, BALZER JR, JACOBS GB. Evaluation with evoked and spontaneous electromyography during lumbar instrumentation: a prospective study, 397
WEN HT, RHOTON AL JR., KATSUTA T, DE OLIVEIRA E. Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
WETJEN NM. *See* Robertson SC, 927
WHITE MC. *See* Atkin SL, 85
WIJDICKS EFM, SCHIEVINK WI, BURNETT JC JR. Natriuretic peptide system and endothelin in aneurysmal subarachnoid hemorrhage, 275
WILDRICK DM. *See* Gokaslan ZL, 781
WILLINSKY R. *See* Pirouzmand F, 633
_____. *See* Porter PJ, 190
WINN HR. *See* Le Roux PD, 1
WÖCKEL L. *See* Bitzer M, 368
WOISCHNECK D, FIRSCHING R. Brain tissue pressure gradients. Letter, 134
WOLFLA CE, AZZARELLI B, SHAH MV. Primary extramedullary ependymoma of the thoracic spine. Case illustration, 643
WOODHURST WB. *See* Redekop GJ, 836
WURZER HAL. *See* Boon AJW, 687

YAMAMOTO K. *See* Sakatani K, 738
YAMAMOTO M. Obliterated AVMs. Letter, 979
YAŞARGIL MG. *See* Türe U, 706
YASUI T, NAKAJIMA H. Hemorrhage and shunting. Letter, 800
YEUNG T. *See* Hsiang JNK, 234
YOKOYAMA T. *See* Nishizawa S, 131
YONEKAWA Y, OGATA N, IMHOF HG, OLIVECRONA M, STROMMER K, KWAK TE, ROTH P, GROSCURTH P. Selective extradural anterior clinoidectomy for supra- and parasellar processes. Technical note, 636
YOUNG HF. *See* Doppenberg EMR, 809
YU ALM. *See* Hsiang JNK, 234
YU CJ. *See* Simpkins JW, 724

ZABORSKY L. Book review, 331
ZABRAMSKI JM. *See* David CA, 795
_____. *See* Detwiler PW, 629
ZAGER EL. *See* Lasner TM, 381
ZAUCHA K. *See* Lee JH, 221
ZELMAN V. *See* Kittaka M, 731
ZERVAS NT. *See* Kawamata T, 908
ZHANG J. *See* Carroll RS, 315
ZHANG YQ. *See* Simpkins JW, 724
ZHAO W. *See* Belayev L, 595
ZHAO YJ. *See* Dujovny M, 788
ZHENG Z. *See* Seyfried D, 716
ZIKEL OM, DAVIS DH, AUGER RG, CHERRY KJ. Venous varix causing median neuropathy. Case illustration, 130
ZIYAL IM, AYDIN Y, BEIJANI GK. Suture granuloma mimicking a lumbar disc recurrence. Case illustration, 473
ZLOKOVIC BV. *See* Kittaka M, 731
ZUO H. *See* Sakatani K, 738
ZUURMOND WWA. *See* Sanders M, 876

Subject Index

Abducent nerve
A new concept in Dorello's canal microanatomy: the petroclival venous confluence, 67
Abscess
Cerebral abscess as an unusual complication of coil embolization for a dural arteriovenous fistula. Case report, 109
Acoustic nerve tumor
Facial nerve injury in acoustic neuroma (vestibular schwannoma) surgery: etiology and prevention, 60
Albumin
Effect of delayed albumin hemodilution on infarction volume and brain edema after transient middle cerebral artery occlusion in rats, 595
American Association of Neurological Surgeons
In times of change learners inherit the earth. The 1997 presidential address, 659
Anatomical study
Contralateral approaches to bilateral cerebral aneurysms: a microsurgical anatomical study, 163
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
A new concept in Dorello's canal microanatomy: the petroclival venous confluence, 67
Pericollicular surgical approaches to the rhomboid fossa. Part I. Anatomical basis, 893
Aneurysm
Antifibrinolytic therapy. Letters, 486, 487
Cigarette smoking–induced increase in the risk of symptomatic vasospasm after aneurysmal subarachnoid hemorrhage, 381
Contralateral approaches to bilateral cerebral aneurysms: a microsurgical anatomical study, 163
Cranial base approaches to posterior circulation aneurysms, 544
Endovascular treatment of cerebral aneurysms following incomplete clipping, 184
Endovascular treatment of ruptured posterior circulation aneurysms using electrolytically detachable coils, 374
Follow-up evaluation of dissecting aneurysms of the vertebrobasilar circulation by using gadolinium-enhanced magnetic resonance imaging, 385
Giant fusiform intracranial aneurysms: review of 120 patients treated surgically from 1965 to 1992, 141
Incidence of cerebral vasospasm after endovascular treatment of acutely ruptured aneurysms: report on 69 cases, 830
Intracranial aneurysms treated with Guglielmi detachable coil: midterm clinical results in a consecutive series of 100 patients, 176
Intraoperative monitoring of substrate delivery during aneurysm and hematoma surgery: initial experience in 16 patients, 809
Intravascular stent and endovascular coil placement for a ruptured fusiform aneurysm of the basilar artery. Case report and review of the literature, 944
Management-related morbidity in unselected aneurysms of the upper basilar artery, 836
Penetration of the optic chiasm by a ruptured anterior communicating artery aneurysm. Case report, 324
Pheochromocytoma and multiple intracranial aneurysms: is it a coincidence? Case report, 764
Selective extradural anterior clinoidectomy for supra- and parasellar processes. Technical note, 636
Surgical indications in patients with an intracerebral hemorrhage due to ruptured middle cerebral artery aneurysm, 170
Temporary occlusion of the middle cerebral artery in intracranial aneurysm surgery: time limitation and advantage of brain protection, 817
Tentorial edge traumatic aneurysm of the superior cerebellar artery. Case report, 950
Aneurysm clip
Aneurysm clips: magnetic quantification and magnetic resonance imaging safety. Technical note, 788
Angiogenesis
Redefined role of angiogenesis in the pathogenesis of dural arteriovenous malformations, 267
Angiography
Surgical indications in patients with an intracerebral hemorrhage due to ruptured middle cerebral artery aneurysm, 170
Angioplasty
Carotid endarterectomy performed after progressive carotid stenosis following angioplasty and stent placement. Case report, 940
Anterior clinoid process
Selective extradural anterior clinoidectomy for supra- and parasellar processes. Technical note, 636
Anterior communicating artery
Penetration of the optic chiasm by a ruptured anterior communicating artery aneurysm. Case report, 324
Antifibrinolytic therapy
Antifibrinolytic therapy. Letters, 486, 487
Antithrombin
Hemostasis and fibrinolysis activation after subarachnoid hemorrhage, 207
Arteriovenous fistula
Resection of a large temporooccipital parenchymal arteriovenous fistula by using deep hypothermic circulatory bypass. Case report, 934
Spinal epidural arteriovenous fistula with intramedullary reflux. Case report, 633
Arteriovenous malformation
Arteriovenous malformations and magnetic resonance imaging. Letters, 647, 648
Histopathology of arteriovenous malformations after gamma knife radiosurgery, 352
Obliterated AVMs. Letters, 979, 980
Occurrence of severe vasospasm following intraventricular hemorrhage from an arteriovenous malformation. Report of two cases, 436
Redefined role of angiogenesis in the pathogenesis of dural arteriovenous malformations, 267
Resection of a large, high-flow arteriovenous malformation during hypotension and hypothermia induced by a percutaneous cardiopulmonary support system. Case report, 440
Surgical management of deep-seated dural arteriovenous malformations, 198
Arteriovenous oxygen difference
Cerebral arteriovenous oxygen difference: a predictor of cerebral infarction and outcome in patients with severe head injury, 1
Artery, *see* specific arteries
Aseptic meningitis
Massive rupture of suprasellar dermoid cyst into ventricles. Case illustration, 963
Astrocytoma
Astrocytoma and Ki-67. Letters, 133
Cerebellar astrocytoma: experience with 54 cases surgically treated at the Mayo Clinic, Rochester, Minnesota, from 1978 to 1990, 257
Implantation of C6 astrocytoma spheroid into collagen type I gels: invasive, proliferative, and enzymatic characterizations, 602
Pituitary astrocytoma: magnetic resonance imaging and hormonal characteristics. Case illustration, 131
Ataxia
Spinal cord stimulator activation by an antitheft device. Case report, 961
Atlantoaxial fusion
Unilateral posterior atlantoaxial transarticular screw fixation, 851

Atlantoaxial instability
Upper cervical spine fusion in the pediatric population, 671
Atlas
Triple anterior screw fixation of an acute combination atlas–axis fracture. Case report, 96
Axis
Completely dislocated hangman's fracture with a locked C2–3 facet. Case report, 757
Triple anterior screw fixation of an acute combination atlas–axis fracture. Case report, 96

Baclofen
Prospective assessment of continuous intrathecal infusion of baclofen for spasticity caused by acquired brain injury: a preliminary report, 415
Basal ganglia
Microelectrode-guided posteroventral medial radiofrequency pallidotomy for Parkinson's disease, 52
Basilar artery
Cranial base approaches to posterior circulation aneurysms, 544
Management-related morbidity in unselected aneurysms of the upper basilar artery, 836
Basilar impression
Vertical translocation. Part II. Outcomes after surgical treatment of rheumatoid cervical myelopathy, 863
Vertical translocation: the enigma of the disappearing atlantodens interval in patients with myelopathy and rheumatoid arthritis. Part I. Clinical, radiological, and neuropathological features, 856
Biopsy
Diagnostic biopsy of the motor nerve to the gracilis muscle. Technical note, 122
Tumor seeding following stereotactic biopsy of brain metastases. Report of two cases, 327
Blood-brain barrier
Effects of ifenprodil, a polyamine site NMDA receptor antagonist, on reperfusion injury after transient focal cerebral ischemia, 921
Bone flap fixation
Bone flap fixation: a new technique. Technical note, 475
Book reviews
Cohen AR (ed). *Surgical Disorders of the Fourth Ventricle*, 977
Critchley E, Eisen A (eds). *Spinal Cord Disease. Basic Science, Diagnosis and Management*, 645
Fischer G, Brotchi J (eds). *Intramedullary Spinal Cord Tumors*, 798
Heimer L. *The Human Brain and Spinal Cord. Functional Neuroanatomy and Dissection Guide, ed 2*, 331
Jane JA (ed). *Journal of Neurosurgery, Vols. 83–85. CD ROM Version*, 482
Kaye AH. *Essential Neurosurgery, ed 2*, 798
Narayan RK, Wilberger JE Jr., Povlishock JT. *Neurotrauma*, 977
Yamada S (ed). *Tethered Cord Syndrome*, 481
Brachial plexus
Diagnosis of root avulsions. Letters, 483
Selective motor hyperreinnervation using motor rootlet transfer: an experimental study in rat brachial plexus, 79
Surgical reconstruction of the musculocutaneous nerve in traumatic brachial plexus injuries, 881
Brachytherapy
Serial proton magnetic resonance spectroscopy imaging of glioblastoma multiforme after brachytherapy, 525
Brain injury
Cerebral arteriovenous oxygen difference: a predictor of cerebral infarction and outcome in patients with severe head injury, 1
Contribution of vasogenic and cellular edema to traumatic brain swelling measured by diffusion-weighted imaging, 900
Hypermetabolism or hyperglycolysis. Letters, 803, 804
Prospective assessment of continuous intrathecal infusion of baclofen for spasticity caused by acquired brain injury: a preliminary report, 415
Brain neoplasm
The crucial decade: modern neurosurgery's definitive development in Harvey Cushing's early research and practice, 1900 to 1910, 964
Miliary metastatic brain tumors. Letters, 979
Neurocytoma in the cerebellum. Case report, 100
Serial proton magnetic resonance spectroscopy imaging of glioblastoma multiforme after brachytherapy, 525
Tumor in normal brain. Letters, 484, 485
Brain tissue pressure
Brain tissue pressure gradients. Letters, 134
Bromodeoxyuridine
A comparison of proliferation indices in human anterior pituitary adenomas using formalin-fixed tissue and in vitro cell culture, 85

Carotid artery
Carotid endarterectomy performed after progressive carotid stenosis following angioplasty and stent placement. Case report, 940
Meningiomas involving the cavernous sinus: histological factors affecting the degree of resection, 535
Patients with retained transcranial knife blades: a high-risk group, 512
Treatment of blunt carotid injuries by using endovascular stents: an early experience, 825
Carotid endarterectomy
Carotid endarterectomy performed after progressive carotid stenosis following angioplasty and stent placement. Case report, 940
Cathepsin B
Cathepsin B and middle cerebral artery occlusion in the rat, 716
Cavernous malformation
Cerebral cavernous malformations: natural history and prognosis after clinical deterioration with or without hemorrhage, 190
De novo formation of central nervous system cavernous malformation: implications for predicting risk of hemorrhage. Case report and review of the literature, 629
Cavernous sinus
Meningiomas involving the cavernous sinus: histological factors affecting the degree of resection, 535
Central nervous system
Management of primary intracranial germinomas: diagnostic surgery or radical resection? 262
Spinal cord stimulator activation by an antitheft device. Case report, 961
Cephalocele
Transpalatal approach for the extracranial surgical repair of transsphenoidal cephaloceles in children, 677
Cerebellum
Neurocytoma in the cerebellum. Case report, 100
Cerebral autoregulation
Minor head injury. Letters, 485
Cerebral blood flow
Attenuation of brain injury and reduction of neuron-specific enolase by nicardipine in systemic circulation following focal ischemia and reperfusion in a rat model, 731
Cerebral blood flow and vasoresponsivity. Letters, 335, 336
Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9
Hemodynamically significant cerebral vasospasm and outcome after head injury: a prospective study, 221
Induction of rewarming following hypothermia: hypercontractility in human cerebral arteries by a possible role for tyrosine kinase, 431
Microcirculation after cerebral venous occlusion assessed by laser Doppler scanning, 307
Pre- and postischemic effects of the NMDA receptor antagonist dizocilpine maleate (MK-801) on collateral cerebral blood flow, 927
Reversal and prevention of cerebral vasospasm by intracarotid infusions of nitric oxide donors in a primate model of subarachnoid hemorrhage, 746
Cerebral metabolism
Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9
Cerebrospinal fluid
Dutch Normal-Pressure Hydrocephalus Study: prediction of outcome after shunting by resistance to outflow of cerebrospinal fluid, 687
Noninvasive optical imaging of the subarachnoid space and cerebrospinal fluid pathways based on near-infrared fluorescence, 738
Validation of the optic nerve sheath response to changing cerebrospinal fluid pressure: ultrasound findings during intrathecal infusion tests, 34
Cerebrovascular malformation
Cerebral cavernous malformations: natural history and prognosis after clinical deterioration with or without hemorrhage, 190

Index

Cervical fusion
Unilateral posterior atlantoaxial transarticular screw fixation, 851
Upper cervical spine fusion in the pediatric population, 671
Cervical radiculopathy
Outpatient surgical treatment of cervical radiculopathy, 41
Cervical spine
Cervical cord neurapraxia: classification, pathomechanics, morbidity, and management guidelines, 843
Cervical intramedullary lipoma with intracranial extension in an infant. Case illustration, 472
Spondyloptotic fracture of the cervical spine in a pregnant, anemic Jehovah's Witness: technical and ethical considerations. Case report, 458
Triple anterior screw fixation of an acute combination atlas-axis fracture. Case report, 96
Chemotherapy
Complications associated with intraventricular chemotherapy in patients with leptomeningeal metastases, 694
Children
Intrathecally administered baclofen for treatment of children with spasticity of cerebral origin, 409
Third ventricular choroid plexus papilloma with psychosis. Case report, 103
Upper cervical spine fusion in the pediatric population, 671
Chondroma
Giant chondroma of the falx. Letter, 333
Chordoma
Endoscopic endonasal transsphenoidal surgery: experience with 50 patients, 44
Choroid plexus papilloma
Third ventricular choroid plexus papilloma with psychosis. Case report, 103
Circulatory arrest
Resection of a large temporooccipital parenchymal arteriovenous fistula by using deep hypothermic circulatory bypass. Case report, 934
Collagen
Implantation of C6 astrocytoma spheroid into collagen type I gels: invasive, proliferative, and enzymatic characterizations, 602
Collateral circulation
Giant fusiform intracranial aneurysms: review of 120 patients treated surgically from 1965 to 1992, 141
Contrast enhancement
Follow-up evaluation of dissecting aneurysms of the vertebrobasilar circulation by using gadolinium-enhanced magnetic resonance imaging, 385
Correction
Correction, 138
Cortical dysplasia
Function and organization in dysgenic cortex. Case report, 113
Cortical resection
Absence of bleeding complications in patients undergoing cortical surgery while receiving valproate treatment, 252
Cost-effectiveness analysis
A cost-effectiveness analysis of anterior temporal lobectomy for intractable temporal lobe epilepsy, 20
Cranial nerve
Meningiomas involving the cavernous sinus: histological factors affecting the degree of resection, 535
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
Craniopharyngioma
Endoscopic endonasal transsphenoidal surgery: experience with 50 patients, 44
Craniosynostosis
Iatrogenic intradiploic meningoencephalocele. Case report, 468
Cushing, Harvey
The crucial decade: modern neurosurgery's definitive development in Harvey Cushing's early research and practice, 1900 to 1910, 964
Cushing's disease
Endoscopic endonasal transsphenoidal surgery: experience with 50 patients, 44
Selective excision of adenomas originating in or extending into the pituitary stalk with preservation of pituitary function, 343
Cyst, *see also* specific locations
Ganglion cyst involvement of peripheral nerves, 403
Cysticercosis
Albendazole and praziquantel treatment in neurocysticercosis of the fourth ventricle, 29
Cytoarchitecture
The motor thalamus. Letters, 981, 982

D-dimer
Hemostasis and fibrinolysis activation after subarachnoid hemorrhage, 207
Depolarization
Effective reduction of infarct volume by gap junction blockade in a rodent model of stroke, 916
Dermoid tumor
Massive rupture of suprasellar dermoid cyst into ventricles. Case illustration, 963
Detachable coil
Endovascular treatment of cerebral aneurysms following incomplete clipping, 184
Endovascular treatment of ruptured posterior circulation aneurysms using electrolytically detachable coils, 374
Intracranial aneurysms treated with Guglielmi detachable coil: midterm clinical results in a consecutive series of 100 patients, 176
Diphtheria toxin
Regulated expression of the diphtheria toxin A gene in human glioma cells using prokaryotic transcriptional control elements, 89
Drug delivery
Chronic interstitial infusion of protein to primate brain: determination of drug distribution and clearance with single-photon emission computerized tomography imaging, 586
Complications associated with intraventricular chemotherapy in patients with leptomeningeal metastases, 694
Dura mater
Spinal epidural arteriovenous fistula with intramedullary reflux. Case report, 633
Surgical management of deep-seated dural arteriovenous malformations, 198
Dural arteriovenous fistula
Cerebral abscess as an unusual complication of coil embolization for a dural arteriovenous fistula. Case report, 109
Dysarthria
Spinal cord stimulator activation by an antitheft device. Case report, 961

Echinococcosis
Spinal echinococcal cyst: treatment using computerized tomography–guided needle aspiration and hypertonic saline irrigation. Case report, 464
Edema
Contribution of vasogenic and cellular edema to traumatic brain swelling measured by diffusion-weighted imaging, 900
Effect of delayed albumin hemodilution on infarction volume and brain edema after transient middle cerebral artery occlusion in rats, 595
Effects of ifenprodil, a polyamine site NMDA receptor antagonist, on reperfusion injury after transient focal cerebral ischemia, 921
The importance of pial blood supply to the development of peritumoral brain edema in meningiomas, 368
Seizures induced by intracerebral injection of thrombin: a model of intracerebral hemorrhage, 73
Electromyography
Evaluation with evoked and spontaneous electromyography during lumbar instrumentation: a prospective study, 397
Posterior rhizotomy. Letters, 334
Embolization
Cerebral abscess as an unusual complication of coil embolization for a dural arteriovenous fistula. Case report, 109
Incidence of cerebral vasospasm after endovascular treatment of acutely ruptured aneurysms: report on 69 cases, 830
Intracranial aneurysms treated with Guglielmi detachable coil: midterm clinical results in a consecutive series of 100 patients, 176

Encephalocele
Iatrogenic intradiploic meningoencephalocele. Case report, 468
Transpalatal approach for the extracranial surgical repair of transsphenoidal cephaloceles in children, 677
Endodermal sinus tumor
Endodermal sinus tumor and spinal cord compression. Letters, 652, 653
Endoscopy
Endoscopic endonasal transsphenoidal surgery: experience with 50 patients, 44
Endoscopic microscopic transpedicular thoracic discectomy. Technical note, 125
Endothelin
Natriuretic peptide system and endothelin in aneurysmal subarachnoid hemorrhage, 275
Prevention and reversal of cerebral vasospasm by an endothelin-converting enzyme inhibitor, CGS 26303, in an experimental model of subarachnoid hemorrhage, 281
Source and cause of endothelin-1 release into cerebrospinal fluid after subarachnoid hemorrhage, 287
Endovascular therapy
Endovascular treatment of cerebral aneurysms following incomplete clipping, 184
Endovascular treatment of ruptured posterior circulation aneurysms using electrolytically detachable coils, 374
Incidence of cerebral vasospasm after endovascular treatment of acutely ruptured aneurysms: report on 69 cases, 830
Intravascular stent and endovascular coil placement for a ruptured fusiform aneurysm of the basilar artery. Case report and review of the literature, 944
Eosinophilic granuloma
Microsurgical excision of a primary isolated hypothalamic eosinophilic granuloma. Case report, 768
Ependymoma
Primary extramedullary ependymoma of the thoracic spine. Case illustration, 643
Epilepsy, *see also* Seizure
A cost-effectiveness analysis of anterior temporal lobectomy for intractable temporal lobe epilepsy, 20
Function and organization in dysgenic cortex. Case report, 113
Estrogen
Estrogens may reduce mortality and ischemic damage caused by middle cerebral artery occlusion in the female rat, 724

Facet
Completely dislocated hangman's fracture with a locked C2–3 facet. Case report, 757
Facial nerve
Facial nerve injury in acoustic neuroma (vestibular schwannoma) surgery: etiology and prevention, 60
Facial reanimation
Hypoglossal–facial nerve anastomosis. Letters, 649, 650
Falx cerebri
Giant chondroma of the falx. Letter, 333
Fibrinolysis
Hemostasis and fibrinolysis activation after subarachnoid hemorrhage, 207
Food and Drug Administration
Informed consent. Letter, 336
Foramen magnum
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
Foraminotomy
Anterior cervical foraminotomy. Letters, 653, 654
Foreign body
Suture granuloma mimicking a lumbar disc recurrence. Case illustration, 473

Ganglion
Stereotactic radiosurgical treatment of sphenopalatine neuralgia. Case report, 450
Germ cell tumor
Management of primary intracranial germinomas: diagnostic surgery or radical resection? 262
Germinoma
Management of primary intracranial germinomas: diagnostic surgery or radical resection? 262
Giant cell tumor
Total sacrectomy and Galveston L-rod reconstruction for malignant neoplasms. Technical note, 781
Glasgow Coma Scale Score
High-risk mild head injury, 234
Glial fibrillary acidic protein
Role of glial filaments in cells and tumors of glial origin: a review, 420
Glioblastoma multiforme
Regulated expression of the diphtheria toxin A gene in human glioma cells using prokaryotic transcriptional control elements, 89
Glioma
Increased choline signal coinciding with malignant degeneration of cerebral gliomas: a serial proton magnetic resonance spectroscopy imaging study, 516
Role of glial filaments in cells and tumors of glial origin: a review, 420
Tumor in normal brain. Letters, 484, 485
Grading system
Hemorrhage and shunting. Letters, 800, 801
Graft, *see* Nerve graft *and* Vein graft
Granuloma
Suture granuloma mimicking a lumbar disc recurrence. Case illustration, 473
Growing skull fracture
Iatrogenic intradiploic meningoencephalocele. Case report, 468
Growth factor
Expression and activation of epidermal growth factor receptors in meningiomas, 315

Halo vest
Upper cervical spine fusion in the pediatric population, 671
Hangman's fracture
Completely dislocated hangman's fracture with a locked C2–3 facet. Case report, 757
Head injury
Cerebral blood flow and vasoresponsivity. Letters, 335, 336
Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9
Hemodynamically significant cerebral vasospasm and outcome after head injury: a prospective study, 221
High-risk mild head injury, 234
Minor head injury. Letters, 485
Headache
Efficacy of sphenopalatine ganglion blockade in 66 patients suffering from cluster headache: a 12- to 70-month follow-up evaluation, 876
Hearing preservation
Hearing and vestibular schwannomas. Letters, 133
Hematoma, *see also* specific sites
Extradural hematoma following maxillary sinusitis. Case illustration, 132
Intraoperative monitoring of substrate delivery during aneurysm and hematoma surgery: initial experience in 16 patients, 809
Hemispherectomy
Functional hemispherectomy. Letters, 801, 802
Hemodilution
Effect of delayed albumin hemodilution on infarction volume and brain edema after transient middle cerebral artery occlusion in rats, 595
Hemorrhage, *see also* specific sites
Cerebral cavernous malformations: natural history and prognosis after clinical deterioration with or without hemorrhage, 190
De novo formation of central nervous system cavernous malformation: implications for predicting risk of hemorrhage. Case report and review of the literature, 629
Hemostasis
Hemostasis activation in patients undergoing brain tumor surgery, 508
Hemostasis and fibrinolysis activation after subarachnoid hemorrhage, 207

Index

Heterotopia
Function and organization in dysgenic cortex. Case report, 113
Histiocytosis
Microsurgical excision of a primary isolated hypothalamic eosinophilic granuloma. Case report, 768
Histopathological technique
Tumor in normal brain. Letters, 484, 485
Hydatid cyst
Spinal echinococcal cyst: treatment using computerized tomography-guided needle aspiration and hypertonic saline irrigation. Case report, 464
Hydrocephalus
Duration of protective activity of cerebrospinal fluid shunt catheters impregnated with antimicrobial agents to prevent bacterial catheter-related infection, 247
Increased risk of distal ventriculoperitoneal shunt obstruction associated with slit valves or distal slits in the peritoneal catheter, 682
Hyperemia
Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9
Hyperglycolysis
Hypermetabolism or hyperglycolysis. Letters, 803, 804
Hypermetabolism
Hypermetabolism or hyperglycolysis. Letters, 803, 804
Hypertension
Redefined role of angiogenesis in the pathogenesis of dural arteriovenous malformations, 267
Hyperventilation
Cerebral blood flow and vasoresponsivity. Letters, 335, 336
Hyponatremia
Pathophysiology of hyponatremia after transsphenoidal pituitary surgery, 499
Hypotension
Resection of a large, high-flow arteriovenous malformation during hypotension and hypothermia induced by a percutaneous cardiopulmonary support system. Case report, 440
Hypothalamus
Microsurgical excision of a primary isolated hypothalamic eosinophilic granuloma. Case report, 768
Hypothermia
Induction of rewarming following hypothermia: hypercontractility in human cerebral arteries by a possible role for tyrosine kinase, 431
Resection of a large temporooccipital parenchymal arteriovenous fistula by using deep hypothermic circulatory bypass. Case report, 934
Resection of a large, high-flow arteriovenous malformation during hypotension and hypothermia induced by a percutaneous cardiopulmonary support system. Case report, 440

Ifenprodil
Effects of ifenprodil, a polyamine site NMDA receptor antagonist, on reperfusion injury after transient focal cerebral ischemia, 921
Immunohistochemistry
Expression and activation of epidermal growth factor receptors in meningiomas, 315
Infant
Cervical intramedullary lipoma with intracranial extension in an infant. Case illustration, 472
Infection
Duration of protective activity of cerebrospinal fluid shunt catheters impregnated with antimicrobial agents to prevent bacterial catheter-related infection, 247
Informed consent
Informed consent. Letter, 336
Infracollicular approach
Pericollicular surgical approaches to the rhomboid fossa. Part I. Anatomical basis, 893
Instrumentation
Evaluation with evoked and spontaneous electromyography during lumbar instrumentation: a prospective study, 397
Total sacrectomy and Galveston L-rod reconstruction for malignant neoplasms. Technical note, 781

Interleukin-1
Cerebrospinal fluid interleukin-1 receptor antagonist and tumor necrosis factor-α following subarachnoid hemorrhage, 215
Internal carotid artery
Internal carotid artery or ascending pharyngeal. Letters, 803
Interstitial brain infusion
Chronic interstitial infusion of protein to primate brain: determination of drug distribution and clearance with single-photon emission computerized tomography imaging, 586
Interventional neuroradiology
Intravascular stent and endovascular coil placement for a ruptured fusiform aneurysm of the basilar artery. Case report and review of the literature, 944
Intervertebral disc
Endoscopic microscopic transpedicular thoracic discectomy. Technical note, 125
Intracerebral hemorrhage
Seizures induced by intracerebral injection of thrombin: a model of intracerebral hemorrhage, 73
Surgical indications in patients with an intracerebral hemorrhage due to ruptured middle cerebral artery aneurysm, 170
Intracranial pressure
Brain tissue pressure gradients. Letters, 134
Cavum septum pellucidum cysts. Letters, 336, 337, 338
Cerebral arteriovenous oxygen difference: a predictor of cerebral infarction and outcome in patients with severe head injury, 1
The crucial decade: modern neurosurgery's definitive development in Harvey Cushing's early research and practice, 1900 to 1910, 964
Validation of the optic nerve sheath response to changing cerebrospinal fluid pressure: ultrasound findings during intrathecal infusion tests, 34
Intraoperative monitoring
Evaluation with evoked and spontaneous electromyography during lumbar instrumentation: a prospective study, 397
Intrathecal drug infusion
Intrathecally administered baclofen for treatment of children with spasticity of cerebral origin, 409
Prospective assessment of continuous intrathecal infusion of baclofen for spasticity caused by acquired brain injury: a preliminary report, 415
Intraventricular hemorrhage
Occurrence of severe vasospasm following intraventricular hemorrhage from an arteriovenous malformation. Report of two cases, 436
Ischemia
Attenuation of brain injury and reduction of neuron-specific enolase by nicardipine in systemic circulation following focal ischemia and reperfusion in a rat model, 731
Cathepsin B and middle cerebral artery occlusion in the rat, 716
Cerebral arteriovenous oxygen difference: a predictor of cerebral infarction and outcome in patients with severe head injury, 1
Cerebrospinal fluid interleukin-1 receptor antagonist and tumor necrosis factor-α following subarachnoid hemorrhage, 215
Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9
Effective reduction of infarct volume by gap junction blockade in a rodent model of stroke, 916
Effects of ifenprodil, a polyamine site NMDA receptor antagonist, on reperfusion injury after transient focal cerebral ischemia, 921
Estrogens may reduce mortality and ischemic damage caused by middle cerebral artery occlusion in the female rat, 724
Source and cause of endothelin-1 release into cerebrospinal fluid after subarachnoid hemorrhage, 287
Temporary occlusion of the middle cerebral artery in intracranial aneurysm surgery: time limitation and advantage of brain protection, 817

Journal of Neurosurgery
Pitfalls and successes of peer review in neurosurgery, 972

Ki-67
Astrocytoma and Ki-67. Letters, 133
A comparison of proliferation indices in human anterior pituitary adenomas using formalin-fixed tissue and in vitro cell culture, 85

Implantation of C6 astrocytoma spheroid into collagen type I gels: invasive, proliferative, and enzymatic characterizations, 602
Proliferation potential and histological features in neurofibromatosis 2-associated and sporadic meningiomas, 610

Langerhan's cell histiocytosis
Microsurgical excision of a primary isolated hypothalamic eosinophilic granuloma. Case report, 768
Lipoma
Cervical intramedullary lipoma with intracranial extension in an infant. Case illustration, 472

Magnetic resonance imaging
Aneurysm clips: magnetic quantification and magnetic resonance imaging safety. Technical note, 788
Follow-up evaluation of dissecting aneurysms of the vertebrobasilar circulation by using gadolinium-enhanced magnetic resonance imaging, 385
Massive rupture of suprasellar dermoid cyst into ventricles. Case illustration, 963
Microelectrode-guided posteroventral pallidotomy for treatment of Parkinson's disease: postoperative magnetic resonance imaging analysis, 358
Pituitary astrocytoma: magnetic resonance imaging and hormonal characteristics. Case illustration, 131
The relationship of preoperative magnetic resonance imaging findings and closed system drainage in the recurrence of chronic subdural hematoma, 870
Simultaneous spinal and intracranial chronic subdural hematoma. Case illustration, 644
Magnetic resonance spectroscopy
Increased choline signal coinciding with malignant degeneration of cerebral gliomas: a serial proton magnetic resonance spectroscopy imaging study, 516
Serial proton magnetic resonance spectroscopy imaging of glioblastoma multiforme after brachytherapy, 525
Magnetometer
Aneurysm clips: magnetic quantification and magnetic resonance imaging safety. Technical note, 788
Maxillary sinusitis
Extradural hematoma following maxillary sinusitis. Case illustration, 132
Median nerve
Venous varix causing median neuropathy. Case illustration, 130
Medical ethics
Spondyloptotic fracture of the cervical spine in a pregnant, anemic Jehovah's Witness: technical and ethical considerations. Case report, 458
Membrane potential
Augmentation of both hemolysate-induced contraction and activation of protein kinase C by submaximum activation in canine cerebral arteries in vitro, 908
Meningioma
Expression and activation of epidermal growth factor receptors in meningiomas, 315
Hemostasis activation in patients undergoing brain tumor surgery, 508
The importance of pial blood supply to the development of peritumoral brain edema in meningiomas, 368
Meningiomas involving the cavernous sinus: histological factors affecting the degree of resection, 535
Proliferation potential and histological features in neurofibromatosis 2–associated and sporadic meningiomas, 610
Meningitis
Stenotrophomonas maltophilia meningitis. Report of two cases and review of the literature, 106
Meningoencephalocele
Iatrogenic intradiploic meningoencephalocele. Case report, 468
Metastasis
Miliary metastatic brain tumors. Letters, 979
Tumor seeding following stereotactic biopsy of brain metastases. Report of two cases, 327
Microdiscectomy
Outpatient surgical treatment of cervical radiculopathy, 41
Middle cerebral artery
Cathepsin B and middle cerebral artery occlusion in the rat, 716
Effective reduction of infarct volume by gap junction blockade in a rodent model of stroke, 916
Effects of serotonin on cerebral circulation after middle cerebral artery occlusion, 301
Estrogens may reduce mortality and ischemic damage caused by middle cerebral artery occlusion in the female rat, 724
Surgical indications in patients with an intracerebral hemorrhage due to ruptured middle cerebral artery aneurysm, 170
Temporary occlusion of the middle cerebral artery in intracranial aneurysm surgery: time limitation and advantage of brain protection, 817
Myelinization
Diagnosis of root avulsions. Letters, 483
Myelopathy
Shunt versus subarachnoid reconstruction. Letters, 652

Nasal cavity
Osteoblastoma of the nasal cavity invading the anterior skull base in a young child. Case report, 625
Natriuresis
Pathophysiology of hyponatremia after transsphenoidal pituitary surgery, 499
Nerve, *see also* specific nerves
Diagnostic biopsy of the motor nerve to the gracilis muscle. Technical note, 122
Hypoglossal–facial nerve anastomosis. Letters, 649, 650
Nerve graft
Enhancing nerve regeneration across a silicone tube conduit by using interposed short-segment nerve grafts, 887
Motor nerve transplantation, 615
Selective motor hyperreinnervation using motor rootlet transfer: an experimental study in rat brachial plexus, 79
Surgical reconstruction of the musculocutaneous nerve in traumatic brachial plexus injuries, 881
Nerve root
Diagnosis of root avulsions. Letters, 483
Neuralgia
Stereotactic radiosurgical treatment of sphenopalatine neuralgia. Case report, 450
Neurocytoma
Neurocytoma in the cerebellum. Case report, 100
Neurofibromatosis 2
Proliferation potential and histological features in neurofibromatosis 2–associated and sporadic meningiomas, 610
Neuron-specific enolase
Attenuation of brain injury and reduction of neuron-specific enolase by nicardipine in systemic circulation following focal ischemia and reperfusion in a rat model, 731
Neuropathy
Venous varix causing median neuropathy. Case illustration, 130
Neuroprotection
Attenuation of brain injury and reduction of neuron-specific enolase by nicardipine in systemic circulation following focal ischemia and reperfusion in a rat model, 731
Neurorrhaphy
Hypoglossal-facial nerve anastomosis. Letters, 649, 650
Neurosurgical history
Charles Labbé (1851–1889), 477
The crucial decade: modern neurosurgery's definitive development in Harvey Cushing's early research and practice, 1900 to 1910, 964
Pitfalls and successes of peer review in neurosurgery, 972
Nicardipine
Attenuation of brain injury and reduction of neuron-specific enolase by nicardipine in systemic circulation following focal ischemia and reperfusion in a rat model, 731

Index

Normal-pressure hydrocephalus
Dutch Normal-Pressure Hydrocephalus Study: prediction of outcome after shunting by resistance to outflow of cerebrospinal fluid, 687

Occipital bone
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
Odontoid fracture
Triple anterior screw fixation of an acute combination atlas-axis fracture. Case report, 96
Omental transplantation
Omental transplantation and spinal cord injury. Letters, 800
Ommaya reservoir
Complications associated with intraventricular chemotherapy in patients with leptomeningeal metastases, 694
Operative technique, *see also* Surgical approach *and* specific approaches
Endoscopic endonasal transsphenoidal surgery: experience with 50 patients, 44
Selective extradural anterior clinoidectomy for supra- and parasellar processes. Technical note, 636
Optic chiasm
Penetration of the optic chiasm by a ruptured anterior communicating artery aneurysm. Case report, 324
Optic nerve
Validation of the optic nerve sheath response to changing cerebrospinal fluid pressure: ultrasound findings during intrathecal infusion tests, 34
Osteoblastoma
Osteoblastoma of the nasal cavity invading the anterior skull base in a young child. Case report, 625
Outcome
Cerebral cavernous malformations: natural history and prognosis after clinical deterioration with or without hemorrhage, 190
Dutch Normal-Pressure Hydrocephalus Study: prediction of outcome after shunting by resistance to outflow of cerebrospinal fluid, 687
Facial nerve injury in acoustic neuroma (vestibular schwannoma) surgery: etiology and prevention, 60
Hemodynamically significant cerebral vasospasm and outcome after head injury: a prospective study, 221
High-risk mild head injury, 234
Intracranial aneurysms treated with Guglielmi detachable coil: midterm clinical results in a consecutive series of 100 patients, 176
Surgical management and seizure outcome in patients with tuberous sclerosis, 391

Pallidal stimulation
Pallidal stimulation: an alternative to pallidotomy, 700
Pallidotomy
Microelectrode-guided posteroventral medial radiofrequency pallidotomy for Parkinson's disease, 52
Microelectrode-guided posteroventral pallidotomy for treatment of Parkinson's disease: postoperative magnetic resonance imaging analysis, 358
Pallidal stimulation: an alternative to pallidotomy, 700
Paraplegia
Combined medical and surgical treatment after acute spinal cord injury: results of a prospective pilot study to assess the merits of aggressive medical resuscitation and blood pressure management, 239
Paraspinal calcinosis
Paraspinal calcinosis associated with progressive systemic sclerosis. Case report, 761
Parkinson's disease
Delayed internal capsule infarctions following radiofrequency pallidotomy. Report of three cases, 955
High-frequency stimulation of the globus pallidus internalis in Parkinson's disease: a study of seven cases, 491
Microelectrode-guided posteroventral medial radiofrequency pallidotomy for Parkinson's disease, 52
Microelectrode-guided posteroventral pallidotomy for treatment of Parkinson's disease: postoperative magnetic resonance imaging analysis, 358
Pallidal stimulation: an alternative to pallidotomy, 700
Pedicle screw
Evaluation with evoked and spontaneous electromyography during lumbar instrumentation: a prospective study, 397
Peripheral nerve
Ganglion cyst involvement of peripheral nerves, 403
Motor nerve transplantation, 615
Pheochromocytoma
Pheochromocytoma and multiple intracranial aneurysms: is it a coincidence? Case report, 764
Pilocytic astrocytoma
Cerebellar astrocytoma: experience with 54 cases surgically treated at the Mayo Clinic, Rochester, Minnesota, from 1978 to 1990, 257
Pituitary adenoma
A comparison of proliferation indices in human anterior pituitary adenomas using formalin-fixed tissue and in vitro cell culture, 85
Selective excision of adenomas originating in or extending into the pituitary stalk with preservation of pituitary function, 343
Pituitary stalk
Selective excision of adenomas originating in or extending into the pituitary stalk with preservation of pituitary function, 343
Pituitary tumor
Endoscopic endonasal transsphenoidal surgery: experience with 50 patients, 44
Pathophysiology of hyponatremia after transsphenoidal pituitary surgery, 499
Pituitary astrocytoma: magnetic resonance imaging and hormonal characteristics. Case illustration, 131
Plagiocephaly
Nonsurgical, nonorthotic treatment of occipital plagiocephaly: what is the natural history of the misshapen neonatal head? 667
Posterior fossa
Cervical intramedullary lipoma with intracranial extension in an infant. Case illustration, 472
Cranial base approaches to posterior circulation aneurysms, 544
Neurocytoma in the cerebellum. Case report, 100
Pott's disease
Pott's disease. Letters, 136, 137
Praziquantel
Albendazole and praziquantel treatment in neurocysticercosis of the fourth ventricle, 29
Presidential address
In times of change learners inherit the earth. The 1997 presidential address, 659
Prognosis
Cerebellar astrocytoma: experience with 54 cases surgically treated at the Mayo Clinic, Rochester, Minnesota, from 1978 to 1990, 257
Proliferation index
A comparison of proliferation indices in human anterior pituitary adenomas using formalin-fixed tissue and in vitro cell culture, 85
Protease
Cathepsin B and middle cerebral artery occlusion in the rat, 716
Protein kinase C alpha
Generation of the catalytic fragment of protein kinase C alpha in spastic canine basilar artery, 752
Pseudoaneurysm
Spondyloptotic fracture of the cervical spine in a pregnant, anemic Jehovah's Witness: technical and ethical considerations. Case report, 458

Quadriplegia
Combined medical and surgical treatment after acute spinal cord injury: results of a prospective pilot study to assess the merits of aggressive medical resuscitation and blood pressure management, 239
Spinal echinococcal cyst: treatment using computerized tomography-guided needle aspiration and hypertonic saline irrigation. Case report, 464

Radiation therapy
Serial proton magnetic resonance spectroscopy imaging of glioblastoma multiforme after brachytherapy, 525

Radiofrequency lesion
Delayed internal capsule infarctions following radiofrequency pallidotomy. Report of three cases, 955
Efficacy of sphenopalatine ganglion blockade in 66 patients suffering from cluster headache: a 12- to 70-month follow-up evaluation, 876
Microelectrode-guided posteroventral medial radiofrequency pallidotomy for Parkinson's disease, 52
Radiosurgery
Arteriovenous malformations and magnetic resonance imaging. Letters, 647, 648
Histopathology of arteriovenous malformations after gamma knife radiosurgery, 352
Obliterated AVMs. Letters, 979, 980
Stereotactic radiosurgical treatment of sphenopalatine neuralgia. Case report, 450
Tumor seeding following stereotactic biopsy of brain metastases. Report of two cases, 327
Randomized trials
Informed consent. Letter, 336
Rehabilitation
Prospective assessment of continuous intrathecal infusion of baclofen for spasticity caused by acquired brain injury: a preliminary report, 415
Revascularization
Reversed-flow saphenous vein grafts for cerebral revascularization. Technical note, 795
Rheumatoid arthritis
Vertical translocation. Part II. Outcomes after surgical treatment of rheumatoid cervical myelopathy, 863
Vertical translocation: the enigma of the disappearing atlantodens interval in patients with myelopathy and rheumatoid arthritis. Part I. Clinical, radiological, and neuropathological features, 856
Rhizotomy
Posterior rhizotomy. Letters, 334

Sacrectomy
Total sacrectomy and Galveston L-rod reconstruction for malignant neoplasms. Technical note, 781
Scalp
Bone flap fixation: a new technique. Technical note, 475
Schwannoma
Facial nerve injury in acoustic neuroma (vestibular schwannoma) surgery: etiology and prevention, 60
Screw fixation
Unilateral posterior atlantoaxial transarticular screw fixation, 851
Seizure, *see also* Epilepsy
Functional hemispherectomy. Letters, 801, 802
Seizures induced by intracerebral injection of thrombin: a model of intracerebral hemorrhage, 73
Surgical management and seizure outcome in patients with tuberous sclerosis, 391
Septum pellucidum cyst
Cavum septum pellucidum cysts. Letters, 336, 337, 388
Serotonin
Effects of serotonin on cerebral circulation after middle cerebral artery occlusion, 301
Shunt
Duration of protective activity of cerebrospinal fluid shunt catheters impregnated with antimicrobial agents to prevent bacterial catheter-related infection, 247
Increased risk of distal ventriculoperitoneal shunt obstruction associated with slit valves or distal slits in the peritoneal catheter, 682
Silicone
Enhancing nerve regeneration across a silicone tube conduit by using interposed short-segment nerve grafts, 887
Single-photon emission computerized tomography
Chronic interstitial infusion of protein to primate brain: determination of drug distribution and clearance with single-photon emission computerized tomography imaging, 586
Skull
Bone flap fixation: a new technique. Technical note, 475
High-risk mild head injury, 234

Skull base
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
A new concept in Dorello's canal microanatomy: the petroclival venous confluence, 67
Surgical management of deep-seated dural arteriovenous malformations, 198
Smooth muscle
Induction of rewarming following hypothermia: hypercontractility in human cerebral arteries by a possible role for tyrosine kinase, 431
Spasticity
Intrathecally administered baclofen for treatment of children with spasticity of cerebral origin, 409
Prospective assessment of continuous intrathecal infusion of baclofen for spasticity caused by acquired brain injury: a preliminary report, 415
Spinal cord compression
Endodermal sinus tumor and spinal cord compression. Letters, 652, 653
Spinal echinococcal cyst: treatment using computerized tomography-guided needle aspiration and hypertonic saline irrigation. Case report, 464
Spinal cord injury
Combined medical and surgical treatment after acute spinal cord injury: results of a prospective pilot study to assess the merits of aggressive medical resuscitation and blood pressure management, 239
Omental transplantation and spinal cord injury. Letters, 800
Spinal cord stimulation
Spinal cord stimulator activation by an antitheft device. Case report, 961
Spinal hematoma
Simultaneous spinal and intracranial chronic subdural hematoma. Case illustration, 644
Spinal neoplasm
Primary extramedullary ependymoma of the thoracic spine. Case illustration, 643
Spinal nerve root
Selective motor hyperreinnervation using motor rootlet transfer: an experimental study in rat brachial plexus, 79
Spinal stenosis
Cervical cord neurapraxia: classification, pathomechanics, morbidity, and management guidelines, 843
Spinal tuberculosis
Pott's disease. Letters, 136, 137
Spine
Endoscopic microscopic transpedicular thoracic discectomy. Technical note, 125
Evaluation with evoked and spontaneous electromyography during lumbar instrumentation: a prospective study, 397
Spinal epidural arteriovenous fistula with intramedullary reflux. Case report, 633
Spondylolisthesis
Completely dislocated hangman's fracture with a locked C2–3 facet. Case report, 757
Spondylotic myelopathy
Anterior cervical foraminotomy. Letters, 653, 654
Stab wound
Patients with retained transcranial knife blades: a high-risk group, 512
Stefin A
Cathepsin B and middle cerebral artery occlusion in the rat, 716
Stent
Carotid endarterectomy performed after progressive carotid stenosis following angioplasty and stent placement. Case report, 940
Intravascular stent and endovascular coil placement for a ruptured fusiform aneurysm of the basilar artery. Case report and review of the literature, 944
Treatment of blunt carotid injuries by using endovascular stents: an early experience, 825
Stereotaxis
Microelectrode-guided posteroventral pallidotomy for treatment of Parkinson's disease: postoperative magnetic resonance imaging analysis, 358
String sign
Internal carotid artery or ascending pharyngeal. Letters, 803

Index

Stroke
Delayed internal capsule infarctions following radiofrequency pallidotomy. Report of three cases, 955
Effect of delayed albumin hemodilution on infarction volume and brain edema after transient middle cerebral artery occlusion in rats, 595
Effects of serotonin on cerebral circulation after middle cerebral artery occlusion, 301
Pre- and postischemic effects of the NMDA receptor antagonist dizocilpine maleate (MK-801) on collateral cerebral blood flow, 927
Treatment of blunt carotid injuries by using endovascular stents: an early experience, 825
Subarachnoid hemorrhage
Cerebrospinal fluid interleukin-1 receptor antagonist and tumor necrosis factor-α following subarachnoid hemorrhage, 215
Cigarette smoking-induced increase in the risk of symptomatic vasospasm after aneurysmal subarachnoid hemorrhage, 381
The complement membrane attack complex and the bystander effect in cerebral vasospasm, 294
Hemorrhage and shunting. Letters, 800, 801
Hemostasis and fibrinolysis activation after subarachnoid hemorrhage, 207
Incidence of cerebral vasospasm after endovascular treatment of acutely ruptured aneurysms: report on 69 cases, 830
Management-related morbidity in unselected aneurysms of the upper basilar artery, 836
Natriuretic peptide system and endothelin in aneurysmal subarachnoid hemorrhage, 275
Posttraumatic vasospasm. Letters, 134, 136
Prevention and reversal of cerebral vasospasm by an endothelin-converting enzyme inhibitor, CGS 26303, in an experimental model of subarachnoid hemorrhage, 281
Reversal and prevention of cerebral vasospasm by intracarotid infusions of nitric oxide donors in a primate model of subarachnoid hemorrhage, 746
Source and cause of endothelin-1 release into cerebrospinal fluid after subarachnoid hemorrhage, 287
Subarachnoid space
Noninvasive optical imaging of the subarachnoid space and cerebrospinal fluid pathways based on near-infrared fluorescence, 738
Subdural drainage
The relationship of preoperative magnetic resonance imaging findings and closed system drainage in the recurrence of chronic subdural hematoma, 870
Subdural hematoma
The relationship of preoperative magnetic resonance imaging findings and closed system drainage in the recurrence of chronic subdural hematoma, 870
Simultaneous spinal and intracranial chronic subdural hematoma. Case illustration, 644
Tremor caused by ipsilateral chronic subdural hematoma. Case illustration, 474
Subgaleal shunt
Ventriculostomy or subgaleal shunting? Letters, 486
Superior cerebellar artery
Tentorial edge traumatic aneurysm of the superior cerebellar artery. Case report, 950
Supracollicular approach
Pericollicular surgical approaches to the rhomboid fossa. Part I. Anatomical basis, 893
Surgical approach, *see also* Operative technique *and* specific approaches
Cranial base approaches to posterior circulation aneurysms, 544
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
Synostosis
Nonsurgical, nonorthotic treatment of occipital plagiocephaly: what is the natural history of the misshapen neonatal head? 667
Syringomyelia
Shunt versus subarachnoid reconstruction. Letters, 652
Systemic sclerosis
Paraspinal calcinosis associated with progressive systemic sclerosis. Case report, 761

Temporal bone
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
Papillary adenoma of endolymphatic sac origin: a temporal bone tumor in von Hippel–Lindau disease. Case report, 445
Temporal lobe epilepsy
A cost-effectiveness analysis of anterior temporal lobectomy for intractable temporal lobe epilepsy, 20
Temporary arterial occlusion
Intraoperative monitoring of substrate delivery during aneurysm and hematoma surgery: initial experience in 16 patients, 809
Temporary occlusion of the middle cerebral artery in intracranial aneurysm surgery: time limitation and advantage of brain protection, 817
Tentorium
Surgical management of deep-seated dural arteriovenous malformations, 198
Thalamus
The motor thalamus. Letters, 981, 982
Third ventricle
Third ventricular choroid plexus papilloma with psychosis. Case report, 103
The transcallosal–transforaminal approach to the third ventricle with regard to the venous variations in this region, 706
Thoracic spine
Endoscopic microscopic transpedicular thoracic discectomy. Technical note, 125
Thrombin
Seizures induced by intracerebral injection of thrombin: a model of intracerebral hemorrhage, 73
Torticollis
Nonsurgical, nonorthotic treatment of occipital plagiocephaly: what is the natural history of the misshapen neonatal head? 667
Transcallosal-transforaminal approach
The transcallosal-transforaminal approach to the third ventricle with regard to the venous variations in this region, 706
Transpalatal approach
Transpalatal approach for the extracranial surgical repair of transsphenoidal cephaloceles in children, 677
Traumatic aneurysm
Tentorial edge traumatic aneurysm of the superior cerebellar artery. Case report, 950
Tremor
Tremor caused by ipsilateral chronic subdural hematoma. Case illustration, 474
Trigeminal neuralgia
Teflon-induced granuloma following treatment of trigeminal neuralgia by microvascular decompression. Report of two cases, 454
Tuberous sclerosis
Surgical management and seizure outcome in patients with tuberous sclerosis, 391
Tumor, *see also* specific tumor types and sites
Massive osteolysis of the skull and upper cervical spine. Case report and review of the literature, 773
Tumor necrosis factor-α
Cerebrospinal fluid interleukin-1 receptor antagonist and tumor necrosis factor-α following subarachnoid hemorrhage, 215
Tumor recurrence
Increased choline signal coinciding with malignant degeneration of cerebral gliomas: a serial proton magnetic resonance spectroscopy imaging study, 516
Tumor seeding
Tumor seeding following stereotactic biopsy of brain metastases. Report of two cases, 327

Ultrasound
Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9

Hemodynamically significant cerebral vasospasm and outcome after head injury: a prospective study, 221
Validation of the optic nerve sheath response to changing cerebrospinal fluid pressure: ultrasound findings during intrathecal infusion tests, 34

Valproate
Absence of bleeding complications in patients undergoing cortical surgery while receiving valproate treatment, 252
Vascular malformation
De novo formation of central nervous system cavernous malformation: implications for predicting risk of hemorrhage. Case report and review of the literature, 629
Vasoconstriction
Induction of rewarming following hypothermia: hypercontractility in human cerebral arteries by a possible role for tyrosine kinase, 431
Vasospasm
Augmentation of both hemolysate-induced contraction and activation of protein kinase C by submaximum activation in canine cerebral arteries in vitro, 908
Characterization of cerebral hemodynamic phases following severe head trauma: hypoperfusion, hyperemia, and vasospasm, 9
Cigarette smoking-induced increase in the risk of symptomatic vasospasm after aneurysmal subarachnoid hemorrhage, 381
The complement membrane attack complex and the bystander effect in cerebral vasospasm, 294
Generation of the catalytic fragment of protein kinase C alpha in spastic canine basilar artery, 752
Hemodynamically significant cerebral vasospasm and outcome after head injury: a prospective study, 221
Incidence of cerebral vasospasm after endovascular treatment of acutely ruptured aneurysms: report on 69 cases, 830
Occurrence of severe vasospasm following intraventricular hemorrhage from an arteriovenous malformation. Report of two cases, 436
Posttraumatic vasospasm. Letters, 134, 136
Prevention and reversal of cerebral vasospasm by an endothelin-converting enzyme inhibitor, CGS 26303, in an experimental model of subarachnoid hemorrhage, 281
Reversal and prevention of cerebral vasospasm by intracarotid infusions of nitric oxide donors in a primate model of subarachnoid hemorrhage, 746
Source and cause of endothelin-1 release into cerebrospinal fluid after subarachnoid hemorrhage, 287

Vein
Microcirculation after cerebral venous occlusion assessed by laser Doppler scanning, 307
The transcallosal–transforaminal approach to the third ventricle with regard to the venous variations in this region, 706
Vein graft
Reversed-flow saphenous vein grafts for cerebral revascularization. Technical note, 795
Ventriculomegaly
Contribution of vasogenic and cellular edema to traumatic brain swelling measured by diffusion-weighted imaging, 900
Ventriculoperitoneal shunt
Dutch Normal-Pressure Hydrocephalus Study: prediction of outcome after shunting by resistance to outflow of cerebrospinal fluid, 687
Increased risk of distal ventriculoperitoneal shunt obstruction associated with slit valves or distal slits in the peritoneal catheter, 682
Ventriculostomy
Ventriculostomy or subgaleal shunting? Letters, 486
Vertebral artery
Completely dislocated hangman's fracture with a locked C2–3 facet. Case report, 757
Microsurgical anatomy of the transcondylar, supracondylar, and paracondylar extensions of the far-lateral approach, 555
Spondyloptotic fracture of the cervical spine in a pregnant, anemic Jehovah's Witness: technical and ethical considerations. Case report, 458
Unilateral posterior atlantoaxial transarticular screw fixation, 851
Vertebrobasilar aneurysm
Follow-up evaluation of dissecting aneurysms of the vertebrobasilar circulation by using gadolinium-enhanced magnetic resonance imaging, 385
Vertical translocation
Vertical Translocation. Part II. Outcomes after surgical treatment of rheumatoid cervical myelopathy, 863
Vertical translocation: the enigma of the disappearing atlantodens interval in patients with myelopathy and rheumatoid arthritis. Part I. Clinical, radiological, and neuropathological features, 856
Vestibular schwannoma
Hearing and vestibular schwannomas. Letters, 133
von Hippel–Lindau disease
Papillary adenoma of endolymphatic sac origin: a temporal bone tumor in von Hippel–Lindau disease. Case report, 445